

Working with different brands? **All with just one CAS battery pack.**





CAS. The multi-brand battery system.


More than 45 powerful manufacturers have joined forces so that tools, battery packs, and chargers are 100% compatible with each other. CAS battery packs are developed in Germany and perform well even in the most demanding applications thanks to leading battery pack technology.

One battery pack, many advantages.

- Buy less battery packs
- Environmentally-friendly
- Save money

Any brand you trust.
All with just one
CAS battery pack.

Many brands and trades, one battery pack.
With CAS you master all working steps.



Use many advantages? All with just one CAS battery pack.


Step into a cordless world where comfort, performance, and efficiency converge. With CAS, you're not just purchasing a battery pack system, but investing in a versatile ecosystem that adapts to your varying professional needs- from everyday tasks to the most demanding jobs.



Use the largest cross-manufacturer battery pack system



Experience 100% compatibility



Discover the greatest variety of tools



Save resources



Save money



Save time



Top technology, long service life and perfect handling? It's easy with one CAS battery pack.

CAS leverages the benefits of Metabo's battery pack technology. With over 40 years of experience in battery pack development, Metabo is the pioneer in introducing new battery technologies and the concept of the "cordless construction site".

40 years of battery pack experience



15 million battery packs on the market


Compatible with 18 Volt since 2009 & in the future

As of 2009, Metabo battery packs of any generation are 100% compatible with each other – and with all machines and chargers of their volt class. This is true today and will be true tomorrow as well.


The new tabless battery generation.

The new 18 volt LiHDX battery packs elevate power to the ultimate level. Revolutionary tabless technology makes it possible.

TABLESS-DESIGN



TAB-DESIGN



The internal structure of the tabless cells has been adjusted in the 18 volt LiHDX battery packs, so that the anode and cathode are completely connected with plus and minus poles. The "tabs" are eliminated as bottlenecks, and the internal resistance of the cells is significantly reduced.

This design releases ultimate power for users, and means:



Up to 100 % more performance¹



Up to 85 % longer runtime¹



Charges twice as fast²

No matter what your work demands, we have the battery you need.



COMPACT DESIGN

Compact, robust, and efficient. LiPOWER batteries for power levels up to 1000 watts.



POWER & RUNTIME

for any requirement. LiHD batteries for power levels up to 1500 watts and long runtimes.



HEAVY DUTY WORK

LiHDX batteries with tabless technology for ultimate power up to 1800 watts.

(1) in certain heavy-duty applications; this results in less heat production inside the battery pack, compared to LiHD 8.0 Ah
(2) LiHDX with ASC 290 compared to the current standard: LiHD 8.0 Ah and ASC 145

Handling every work step? Do it all with just one battery pack.

100 % compatibility in the 18 V class! Combine your battery packs and chargers easily with the matching tools from the CAS brands. This saves you time, money and you protect the environment.

e.g. restoring the roof structure



→ On-roof insulation



→ Cutting of battens



→ Mounting roof boarding



→ Mounting a vapour barrier

e.g. façade mounting



→ Cutting of sheets



→ Satin-finish of surfaces



→ Prepare mounting



→ Place rivet

e.g. install railings



→ Drill holes for the fixture



→ Insert bolts



→ Fixing of screw anchor



→ Rework railings

e.g. wall insulation



→ Cutting to size of Styrofoam



→ Cutting to size of stone wool



→ Fix EIFS boards



→ Plastering walls

e.g. installation of building services



→ Bending pipes



→ Pressing pipes




→ Mounting preparation



→ Installation of sanitary modules

e.g. electricity distribution



→ Laying of cables



→ Installing cable lugs





→ Fitting shrinking tube



→ Illuminate working area

e.g. restoring bathrooms



→ Stir tile adhesive



→ Lift tiles



→ Lay tiles



→ Drill mounting holes

e.g. maintenance




→ Tightening of wheel bolts



→ Greasing machine



→ Remove rust damage



→ Refuelling of vehicles

metabo Batteries & chargers

Select a Metabo Basic Set or battery and charger and combine with CAS tools.

Metabo 18 V LiHDX battery packs

- The new standard for capacity when working with battery power: LiHDX high-power battery packs with tabless technology

- Innovative tabless technology gives LiHDX battery packs the longest service life in their class

- Full battery in a max. of 30 minutes with the ASC 290 quick charger

- 3 year warranty on all Metabo battery packs and chargers, regardless of the number of charging cycles

Battery pack voltage	Battery pack capacity	Energy	Weight	Order no.
18 V	4 Ah	72 Wh	577 g	624974000
18 V	8 Ah	144 Wh	958 g	624975000

NEW



NEW



Metabo 18 V LiHD Battery Packs

- LiHD battery packs for high power and long use time with minimal temperature generation

- Intelligent battery management for long-lasting battery packs with a 3 year warranty

- Patented "AIR COOLED" charging technology

- Continuous Electronic Single Cell Protection (ESCP) when charging, for a very long service life

Battery pack voltage	Battery pack capacity	Energy	Weight	Order no.
18 V	4 Ah	72 Wh	580 g	625367000
18 V	5.5 Ah	99 Wh	980 g	625368000
18 V	8 Ah	144 Wh	980 g	625369000
18 V	10 Ah	180 Wh	1010 g	625549000



Metabo 18 V Li-Power Battery Packs

- Intelligent battery management for long-lasting battery packs with a 3 year warranty

- Patented "AIR COOLED" charging technology

- Continuous Electronic Single Cell Protection (ESCP) when charging, for a very long service life

- Processor-controlled charge and discharge management

- Capacity display for continuous monitoring of the charge status

- High storage capability with almost no self-discharge

Battery pack voltage	Battery pack capacity	Energy	Weight	Order no.
18 V	2 Ah	36 Wh	430 g	625026000
18 V	4 Ah	72 Wh	685 g	625027000
18 V	5.2 Ah	94 Wh	695 g	625028000



Metabo Quick Charger ASC 290, 12-36 V, "AIR COOLED", EU

Order no. 627265000

- Charge in record time: the quick charger with the shortest charging times for all slide-on battery packs of any volt class (12- 36V)

- Battery packs are charged up to 8x faster than with an entry level charger

- Quick, efficient charging of external devices via a USB-C cable (20 watts)

NEW



Battery pack voltage	12- 36 V	Output rating	290 W
max. charging current	16 A	Charging time for 18 V/4.0 Ah	30 min.
Weight	1,250 g	Charging time for 18 V/8.0 Ah	30 min.

Metabo Quick Charger ASC 145, 12-36 V, "AIR COOLED", EU

Order no. 627370000

- When you are in a hurry: the quick charger for all slide-on battery packs of all Volt classes (12- 36V)

- The battery packs are charged up to 4x faster than with an entry level charger

- Patented "AIR COOLED" charging technology for short charging times thanks to cooling the battery pack



Battery pack voltage	12-36 V	Output rating	145 W
max. charging current	8 A	Charging time for 18 V/4.0 Ah	30 min.
Weight	551 g	Charging time for 18 V/8.0 Ah	60 min.

Metabo Charger ASC 55, 12-36 V, "AIR COOLED", EU

Order no. 627044000

- The universal choice: one charger for all slide-on battery packs of all Volt classes (12-36V)

- Patented "AIR COOLED" charging technology for short charging times thanks to cooling the battery pack during the charging cycle



Battery pack voltage	12-36 V	Output rating	55 W
max. charging current	3/4 A	Charging time for 18 V/4.0 Ah	80 min.
Weight	582 g	Charging time for 18 V/8.0 Ah	160 min.

Metabo Double Quick Charger ASC 145 DUO, 12-36 V, "AIR COOLED", EU

Order no. 627495000

- Fast charging for two: the double quick charger for all slide-on battery packs of all Volt classes (12- 36V)

- The battery packs are charged up to 4x faster than with an entry level charger

- Patented "AIR COOLED" charging technology for short charging times thanks to cooling the battery pack during the charging cycle

- Two USB connections with 1.5 A charging current each



Battery pack voltage	12-36 V	Output rating	145 W
max. charging current	8A	Charging time for 18 V/4.0 Ah	30 min.
Weight	1490 g	Charging time for 18 V/8.0 Ah	60 min.

Metabo Basic Set 3 x LiHD 5.5 Ah

Order no. 685074000

3 x LiHD Battery Pack 18 V/5.5 Ah and ASC 145 Quick Charger

Type of battery pack	LiHD	Battery pack capacity	3 x 5.5 Ah
Battery pack voltage	18 V		



Metabo Basic Set 2 x LiHD 5.5 Ah

Order no. 685122000

2 x LiHD Battery Pack 18 V/5.5 Ah and ASC 145 Quick Charger

Type of battery pack	LiHD	Battery pack capacity	2 x 5.5 Ah
Battery pack voltage	18 V		



Metabo Basic Set 3 x LiHD 4.0 Ah

Order no. 685132000

3 x LiHD Battery Pack 18 V/4.0 Ah and ASC 55 Charger

Type of battery pack	LiHD	Battery pack capacity	3 x 4.0 Ah
Battery pack voltage	18 V		



Metabo Basic set 1 x 4.0 Ah + 1 x 5.5 Ah

Order no. 685160000

1 x LiHD Battery Pack 18V/4.0 Ah + 1 x LiHD Battery Pack 18 V/5.5 Ah and ASC 55 Charger

Type of battery pack	LiHD	Battery pack capacity	1 x 5.5 / 1 x 4 Ah
Battery pack voltage	18 V		





Cordless diamond dry core drilling machine ABDB82 18 V

Order no. 10001

Compact 18 V cordless drill with powerful brushless motor and best speed for fast cutting of electrical sockets including soft impact with on/off selection and a suction adapter for dust-free and precise working.			
Speed:	2,000 rpm	Thread:	M16
Drill Ø:	68 / 82 mm	Impact frequency:	38,000 impacts per minute
Scope of delivery: ABDB82 incl. suction adapter, centring piece and carrying case			



Cordless diamond wall chaser ABDN 20, 18 V

Order no. 10004

Compact 18 V cordless wall chaser with powerful Brushless motor and guard for subsequent installation and dust-free working. Restart protection prevents unintentional startup after battery pack change and overload protection protects the motor.			
Speed:	20,000 rpm	Disc-Ø:	85 mm
Cutting depth: 22 mm	22 mm	Removal width:	22 mm
Scope of delivery: ABDN 20 incl. guard, 2 x diamond disc 85RD and carrying case			



Cordless multi-tool ABMT 76, 18 V, cardboard box

Order no. 10007

Very handy tool with Brushless motor for fast work progress and highest efficiency when processing different materials such as metal, wood, stone, tiles or plastic. Restart protection prevents unintentional startup after battery pack change and overload protection protects the motor.			
Speed:	20,000 rpm	Disc-Ø:	76 mm
Disc mount:	10 mm		
Scope of delivery: ABMT 76 incl. guard, 10 x cutting disc 76RD and cardboard box			



Cordless diamond wall chaser ABDN 20 - PV SET, 18 V

Order no. 10505

Compact 18 V cordless wall chaser with powerful Brushless motor and guard for processing roofing tiles when installing photovoltaic systems. Restart protection prevents unintentional startup after a battery change and overload protection protects the motor.			
Speed:	20,000 rpm	Disc-Ø:	85 mm
Cutting depth:	22 mm	Removal width:	22 mm
Scope of delivery: ABDN 20 incl. guard, 5 x diamond disc 85RD and carrying case			



Cordless vacuum cleaner ABSS213L

Order no. 10565

Dust-free thanks to moisture-resistant polyester cartridge filter. Extremely mobile due to its low weight and compact dimensions, including extendable carrying strap. Versatile thanks to an extremely low sound pressure level in ECO mode. Operating and fill level LED. Keep everything in view with displays for power level, battery level, and a blockage indicator.			
Battery pack voltage:	2x18 V	Vacuum:	160 mbar
Container volume:	13 l	Weight:	4.7kg
Scope of delivery incl. tool fitting (38mm), suction hose and accessory assortment. (Telescopic suction tube/elbow/ floor nozzle/crevice nozzle/upholstery nozzle)			

NEW



Cordless brad nailer 18GA, 55 mm

Order no. 11936

for brad nails 18GA			
Weight	2.4 kg	Shot sequence	2 shots/second
Overall height	290 mm	Fastener length	15-55 mm
without battery pack, without charger, in transport case			

NEW



Cordless framing nailer 33°, 90 mm

Order no. 11935

33° plastic strips SCRAIL®, 33° paper and plastic strips D-head, offset and round head nails from 50-90 mm			
Weight	4.3 kg	Shot sequence	2 shots/second
Overall height	345 mm	Fastener length	50- 90 mm
without battery pack, without charger, in transport case			

NEW



Cordless narrow crown stapler, 40mm

Order no. 11937

for medium wire staples 18GA			
Weight	2.4 kg	Shot sequence	2 shots/second
Overall height	290 mm	Fastener length	13- 40 mm
without battery pack, without charger, in transport case			

NEW



Cordless compressor TLK 35

Order no. 12185901

Cordless compressor for pressure accumulators, devices for spraying, foaming and powders, tool bodies		
Pressure range (infinitely adjustable)	0.1 – 3.5 bar	
Output:	Spraying at 2 bar approx. 140 l / 400 min (4.0 Ah); foaming at 3.5 bar approx. 28 l / 300-600 m²	
Recommended battery pack: 18 V Li-Power / 4.0 Ah, with ASC 55 charger		

Cordless pressure accumulator sprayer Accu-Spray 7 P

Order no. 12186001

Cordless pressure accumulator sprayer for spraying solvents, tool bodies			
Pressure range (infinitely adjustable)	0.1 – 3.5 bar	Tank capacity	7 litres
Throughput (at 1- 3.5 bar)	0.46 – 0.85 l/min	Nozzle/spraying pattern	Fanjet
Recommended battery pack: 18 V Li-Power / 4.0 Ah, with ASC 55 charger			



Cordless backpack sprayer REA 15 AC2

Order no. 12114001

Comfortable to carry, speed-controlled 15 litre spraying device for the garden, tool bodies			
Pressure range (infinitely adjustable)	1 – 3 bar	Tank capacity	15 litres
Throughput (at 1- 3 bar)	0.30 – 1.9 l/min	Nozzle/spraying pattern	adjustable
Recommended battery pack: 18 V Li-Power / 2.0 Ah, with SC 30 charger			



Cordless backpack sprayer REB 15 AC2

Order no. 12111701

Economic and pressure-controlled 15 litre sprayer for the sophisticated gardener, tool bodies			
Pressure range (infinitely adjustable)	0.5 – 3 bar	Tank capacity	15 litres
Throughput (at 0.5 – 3 bar)	0.2 – 1.9 l/min	Nozzle/spraying pattern	adjustable
Recommended battery pack: 18 V Li-Power / 2.0 Ah, with SC 30 charger			



Cordless backpack sprayer Organic Star 15

Order no. 12142201

Economic and pressure-controlled 15 litre sprayer for natural active ingredients (glyphosate-free), tool bodies			
Pressure range (infinitely adjustable)	0.5 – 3 bar	Tank capacity	15 litres
Throughput (at 0.5 – 3 bar)	0.2 – 1.9 l/min	Nozzle/spraying pattern	adjustable
Recommended battery pack: 18 V Li-Power / 2.0 Ah, with SC 30 charger			



18 Volt Cordless cutting tool B-TC250ND				Order no. 2599540
For cutting solid or very hard materials up to a max. diameter of 25 mm Portable hand-held tool, "bi-linear" design, LED lighting				
Maximum diameter	25 mm	supplied battery pack	18 V - 2.0 Ah	
Weight (with battery pack)	3.5 kg			
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, stable plastic carry case				

18 Volt Cordless cutting tool B-TC320ND				Order no. 2596285
For cutting of solid or very hard materials up to a max. diameter of 32 mm Portable hand-held tool, "bi-linear" design, LED lighting				
Maximum diameter	32 mm	supplied battery pack	18 V - 2.0 Ah	
Weight (with battery pack)	3.95 kg			
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, stable plastic carry case				

18 Volt Cordless cutting tool B-TC320NDF				Order no. 2596290
For cutting copper, aluminium and telephone cables up to a max. diameter of 32 mm Portable hand-held tool, "bi-linear" design, LED lighting				
Maximum diameter	32 mm	supplied battery pack	18 V - 2.0 Ah	
Weight (with battery pack)	4 kg			
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, stable plastic carry case				

18 Volt Cordless cutting tool B-TC500ND-SC				Order no. 2596300
For cutting copper, aluminium and telephone cables up to a max. diameter of 52.5 mm Portable hand-held tool, "bi-linear" design, LED lighting				
Maximum diameter	52.5 mm	supplied battery pack	18 V - 2.0 Ah	
Weight (with battery pack)	3.9 kg			
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, stable plastic carry case				

18 Volt Cordless cutting tool B-TC250				Order no. 2596266
For cutting solid or very hard materials up to a max. diameter of 25 mm Portable hand-held tool, "pistol" design, LED lighting				
Maximum diameter	25 mm	supplied battery pack	18 V - 5.2 Ah	
Weight (with battery pack)	4.6 kg			
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, stable plastic carry case				

18 Volt Cordless cutting tool B-TC450				Order no. 2599405
For cutting solid or very hard materials up to a max. diameter of 45 mm Portable hand-held tool, "pistol" design, LED lighting				
Maximum diameter	45 mm	supplied battery pack	18 V - 5.2 Ah	
Weight (with battery pack)	6.7 kg			
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, stable plastic carry case				

18 Volt Cordless cutting tool B-TC550				Order no. 2599420
For cutting solid or very hard materials up to a max. diameter of 55 mm Portable hand-held tool, "pistol" design, LED lighting				
Maximum diameter	55 mm	supplied battery pack	18 V - 5.2 Ah	
Weight (with battery pack)	8.9 kg			
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, stable plastic carry case				

18 Volt Cordless cutting tool B-TC500Y				Order no. 2598815
For cutting copper, aluminium cables, aluminium steel cables up to a max. diameter of 50 mm Portable hand-held tool, "pistol" design, LED lighting				
Maximum diameter	50 mm	supplied battery pack	18 V - 5.2 Ah	
Weight (with battery pack)	5.8 kg			
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, stable plastic carry case				

18 Volt Cordless cutting tool B-TC500				Order no. 2598827
For cutting copper, aluminium cables up to a max. diameter of 50 mm (e.g. 4x150 mm² NYY-0) Portable hand-held tool, "pistol" design, LED lighting				
Maximum diameter	50 mm	supplied battery pack	18 V - 5.2 Ah	
Weight (with battery pack)	5.8 kg			
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, stable plastic carry case				

18 Volt Cordless cutting tool B-TC650				Order no. 2599440
For cutting copper, aluminium and telephone cables up to a max. diameter of 65 mm Portable hand-held tool, "pistol" design, LED lighting				
Maximum diameter	65 mm	supplied battery pack	18 V - 5.2 Ah	
Weight (with battery pack)	6.4 kg			
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, stable plastic carry case				

18 Volt Cordless cutting tool B-TC650-SC				Order no. 2599430
For cutting copper, aluminium, telephone cables and NKBA cables up to a max. diameter of 65 mm. Portable hand-held tool, "pistol" design, LED lighting				
Maximum diameter	65 mm	supplied battery pack	18 V - 5.2 Ah	
Weight (with battery pack)	7.7 kg			
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, stable metal carry case				

18 Volt Cordless cutting tool B-TC950				Order no. 2599460
For cutting copper, aluminium and telephone cables up to a max. diameter of 95 mm Portable hand-held tool, "pistol" design, LED lighting				
Maximum diameter	95 mm	supplied battery pack	18 V - 5.2 Ah	
Weight (with battery pack)	7.8 kg			
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, stable metal carry case				

18 Volt Cordless cutting tool B-TC4500				Order no. 2599409
For cutting solid or very hard materials up to a max. diameter of 45 mm Portable hand-held tool, "standard" design, LED lighting				
Maximum diameter	45 mm	supplied battery pack	18 V - 5.2 Ah	
Weight (with battery pack)	6.4 kg			
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, stable plastic carry case				

18 Volt Cordless hole punching tool B-FC470				Order no. 2598880
For punching holes up to 15.5 to 47.2 mm diameter into the side walls of cable ducts Portable hand-held tool, "pistol" design, LED lighting				
Max. punching diameter	47.2 mm	supplied battery pack	18 V - 5.2 Ah	
Weight (with battery pack)	6.2 kg			
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, stable metal carry case				

18 Volt Cordless hole punching tool B-FL750ND				Order no. 2598790
For punching stainless steel, steel, glass fibre and plastic up to a max. diameter of 140 mm Portable hand-held tool, "bi-linear" design, LED lighting				
Max. punching diameter	140 mm	Weight (with battery pack)	4.1 kg	
Max. material thickness	3.5 mm	supplied battery pack	18 V - 2.0 Ah	
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, stable plastic carry case				

18 Volt Cordless punching tool B-FL750				Order no. 2598865
For punching stainless steel, steel, glass fibre and plastic up to a max. diameter of 140 mm Portable hand-held tool, "pistol" design, LED lighting				
Max. punching diameter	140 mm	Weight (with battery pack)	5.1 kg	
Max. material thickness	3.5 mm	supplied battery pack	18 V- 5.2 Ah	
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, stable plastic carry case				

18 Volt Cordless nut splitting tool B-TD270				Order no. 2598951
For cutting hexagon and square nuts with a key width of max. 27 mm Portable hand-held tool, "pistol" design, LED lighting, one cutting blade				
Key width	from 16 to 27 mm	Weight (with battery pack)	5.5 kg	
Power	100 kN	supplied battery pack	18 V - 5.2 Ah	
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, canvas bag				

18 Volt Cordless nut splitting tool B-TD410T				Order no. 2598945
For cutting hexagon and square nuts with a key width of max. 41 mm Portable hand-held tool, "pistol" design, LED lighting, double cutting blade				
Key width	from 27 to 41 mm	Weight (with battery pack)	8.8 kg	
Power	230 kN	supplied battery pack	18 V - 5.2 Ah	
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, canvas bag				

18 Volt Cordless tools B1300TEP				Order no. 2598540
Suitable for the installation of type AR... electrical contacts to bridge tracks and in railway applications compact and light, LED lighting, safety valve				
Operating pressure	729 bar	Weight (pump, battery pack and head)	5.1 kg	
Length of high-pressure hose	0.9 Nm	supplied battery pack	18 V - 5.2 Ah	
Scope of delivery: 2 battery packs, charger, carry strap, high pressure hose, 2 expanding mandrels, gauge, USB cable, stable plastic carry case				

18 Volt portable hydraulic battery pump B1300BL				Order no. 2598542
Can be connected to hydraulic heads for crimping (max. 130 kN), cutting and punching compact and light, LED lighting, safety valve				
Operating pressure	700 bar	Weight (with battery pack)	4 kg	
Length of high-pressure hose	0.9 Nm	supplied battery pack	18 V- 5.2 Ah	
Scope of delivery: 1 battery pack, charger, carry strap, high-pressure hose, USB cable, stable plastic carry case				

18 Volt Portable hydraulic cordless pump B68M-P18				Order no. 2596163
Can be connected to hydraulic heads for crimping (max. 230 kN), cutting and punching compact and light, sensor for maximum pressure, manual remote control with LED lamps and OLED display				
Operating pressure	700 bar	Weight (with battery pack)	5.6 kg	
Length of high-pressure hose	2 Nm	supplied battery pack	18 V - 5.2 Ah	
Scope of delivery: 2 battery packs, charger, carry strap, high-pressure hose, manual remote control, USB cable, canvas bag				




18 Volt Cordless crimping tool BD300NDS				Order no. 2599710
For crimping connectors and cable lugs up to a diameter of 10 to max. 120 mm² Portable hand-held tool, "bi-linear" design, LED lighting. No crimping inserts are required for the tool.				NEW 
Crimping power	30 kN	Weight (with battery pack)	2.57 kg	
Max. application area	120 mm²	supplied battery pack	18 V - 2.0 Ah	
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, stable plastic carry case				

18 Volt Cordless crimping tool BD600ND				Order no. 2599720	
For crimping connectors and cable lugs up to a diameter of 10 to max. 240 mm² Portable hand-held tool, "bi-linear" design, OLED display, LED lighting. No crimping inserts are required for the tool.				NEW 	
Max. application area		240 mm²	supplied battery pack		18 V - 2.0 Ah
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, stable plastic carry case					

18 Volt Cordless crimping tool B500ND-TFC				Order no. 2598926
For cutting grooved contact wires and cables used in electrical traction systems Portable hand-held tool, "bi-linear" design, LED lighting cutting insert required for cutting				NEW 
Maximum diameter	20 mm	Weight (with battery pack)	3.5 kg	
Operating pressure	600 bar	supplied battery pack	18 V - 2.0 Ah	
Scope of delivery: 2 battery packs, charger, carry strap, USB cable, stable plastic carry case				

Thermal transfer printer MG4				Order no. 4190025
The MARKINGENIUS MG4 is a desktop printer based on thermal transfer technology which can be used to label cables, cores, wires, clamps, pushbuttons and switch elements. The MG4 can be operated with the battery pack or the rechargeable CAS battery, meaning it can be used on a stationary or mobile basis, in production or directly on the switch cabinet, for instance.				NEW 
Dimensions (length x width x height)	409 x 236 x 240 mm	Weight (with battery pack)	6.1 kg	
Printing time (for a complete card)	9 sec.	Max. resolution	300 x 600	
Scope of delivery: USB cable, power cable, power supply, USB stick with “GENIUSPRO” software, base plate, black ink ribbon, cardboard medium				

Further cordless products from CEMBRE at www.cembre.de



CEMO Trolley for AdBlue® 60 L				Order no. 11599
Trolley for refuelling on the construction site or on the field. Tank made from tested polyethylene with integrated handle and carry handles, filling nozzle with integrated ventilation and bleeding				
Capacity submersible pump CENTRI SP30	25 l/min	Dimensions in cm (l x w x h)	90 x 53 x 38	
Capacity battery pack	2 Ah	Reach max. (litres)	300	
Automatic filling nozzle, 3 m filling hose, charger		Order no. without battery pack and charger	11592	

CEMO Trolley for AdBlue® 100 L				Order no. 11600
Trolley for refuelling on the construction site or on the field. Tank made from tested polyethylene with integrated handle and carry handles, filling nozzle with integrated ventilation and bleeding				
Capacity submersible pump CENTRI SP30	25 l/min	Dimensions in cm (l x w x h)	100 x 59 x 43	
Capacity battery pack	4 Ah	Reach max. (litres)	600	
Automatic filling nozzle, 3.7 m filling hose, charger		Order no. without battery pack and charger	11593	

CEMO BLUE-MOBIL EASY for AdBlue® 210 L				Order no. 11602
Mobile fuel stations - always on site Single wall tank made from polyethylene, integrated ventilation with pressure relief, integrated forklift pockets and carry handles, integrated recesses for fastening with lashing strap during transport				
Capacity submersible pump CENTRI SP30	30 l/min	Dimensions in cm (l x w x h)	78.5 x 59.5 x 68.5	
Capacity battery pack	4 Ah	Reach max. (litres)	600	
Automatic filling nozzle, 4.4 m filling hose, charger		Order no. without battery pack and charger	11595	

CEMO Transfer-Trolley AdBlue® 130 L				Order no. 11545
Trolley for in-house and safe transport of AdBlue®. Container made from tested polyethylene with integrated handles, filler neck with integral ventilation and bleeding				
Capacity submersible pump CENTRI SP30	25 l/min	Dimensions in cm (l x w x h)	50 x 75 x 101	
Capacity battery pack	4 Ah	Reach max. (litres)	600	
Automatic filling nozzle, 2 m filling hose, charger		Order no. without battery pack and charger	11675	

CEMO Transfer-Trolley Oil 130 L				Order no. 11546
Trolley for filling vehicles and machines in the workshop. Container made from tested polyethylene with integrated handles, filler neck with integral ventilation and bleeding				
Capacity gear pump	6 l/min	Dimensions in cm (l x w x h)	50 x 75 x 101	
Capacity battery pack	4 Ah	Reach max. (litres)	120	
Oil metering gun, 2 m filling hose, charger		Order no. without battery pack and charger	11676	

CEMO Aqua Caddy 60 L			Order no. 10847
Trolley for transporting water and for independent watering of plants. Container made of high-quality translucent polyethylene with integrated handle and carry handles			
Capacity submersible pump CENTRI SP30	12 l/min	Dimensions in cm (l x w x h)	
Capacity battery pack	2 Ah	Reach max. (litres)	
Spray lance, 6 m water hose, charger		Order no. without battery pack and charger	

CEMO Transfer-Trolley Aqua 130 L			Order no. 11544
Trolley for transporting water and independent watering of plants. Container made from high-quality translucent polyethylene with integrated handles and fill-level scale, pump with pressure switch			
Capacity diaphragm pump	11 l/min	Dimensions in cm (l x w x h)	
Capacity battery pack	4 Ah	Reach max. (litres)	
Hand-held sprayer, 6 m spiral hose, charger		Order no. without battery pack and charger	

CEMO DT-MOBIL EASY 210 L			Order no. 11601
Mobile fuel stations for diesel – always on site. Single wall tank made from polyethylene, integrated ventilation with pressure relief, integrated forklift pockets and carry handles, integrated recesses for fastening with lashing strap during transport			
Capacity submersible pump CENTRI SP30	30 l/min	Dimensions in cm (l x w x h)	
Capacity battery pack	4 Ah	Reach max. (litres)	
Automatic filling nozzle, 4.4 m filling hose, charger		Order no. without battery pack and charger	

CEMO DT-MOBIL EASY 440 L			Order no. 11603
Mobile fuel stations for diesel – always on site. Single wall tank made from polyethylene, integrated ventilation with pressure relief, integrated forklift pockets and carry handles, integrated recesses for fastening with lashing strap during transport			
Capacity submersible pump CENTRI SP30	30 l/min	Dimensions in cm (l x w x h)	
Capacity battery pack	4 Ah	Reach max. (litres)	
Automatic filling nozzle, 4.4 m filling hose, charger		Order no. without battery pack and charger	

CEMO DT-MOBIL EASY 440 L			Order no. 11687
Mobile fuel stations for diesel – always on site. Single wall tank made from polyethylene, integrated ventilation with pressure relief, integrated forklift pockets and carry handles, integrated recesses for fastening with lashing strap during transport			
Capacity Cematic 3000 pump	40 l/min	Dimensions in cm (l x w x h)	
Capacity battery pack	4 Ah	Reach max. (litres)	
Automatic filling nozzle, 4.4 m filling hose, charger		Order no. without battery pack and charger	

CEMO DT-MOBIL EASY 460 L			Order no. 11689
Mobile fuel stations for diesel – always on site. Single wall tank made from polyethylene, integrated ventilation with pressure relief, integrated forklift pockets and carry handles, integrated recesses for fastening with lashing strap during transport			
Capacity Cematic 3000 pump	40 l/min	Dimensions in cm (l x w x h)	
Capacity battery pack	4 Ah	Reach max. (litres)	
Automatic filling nozzle, 4 m filling hose, charger		Order no. without battery pack and charger	

CEMO DT-MOBIL EASY 600 L			Order no. 11691
Mobile fuel stations for diesel – always on site. Single wall tank made from polyethylene, integrated ventilation with pressure relief, integrated forklift pockets and carry handles, integrated recesses for fastening with lashing strap during transport			
Capacity Cematic 3000 pump	40 l/min	Dimensions in cm (l x w x h)	
Capacity battery pack	4 Ah	Reach max. (litres)	
Automatic filling nozzle, 4 m filling hose, charger		Order no. without battery pack and charger	

CEMO DT-MOBIL EASY Pick-up 210 L			Order no. 11627
Mobile fuel stations for diesel – always on site. The optimal solution for the transport with a pick-up truck. Single wall tank made from polyethylene, integrated ventilation with pressure relief, integrated forklift pockets and carry handles, integrated recesses for fastening with lashing strap during transport			
Capacity submersible pump CENTRI SP30	30 l/min	Dimensions in cm (l x w x h)	
Capacity battery pack	4 Ah	Reach max. (litres)	
Automatic filling nozzle, 4.4 m filling hose, charger		Order no. without battery pack and charger	

CEMO Diesel trolley 60 L			Order no. 11597
Trolley for refuelling on the construction site or on the field. Tank made from tested polyethylene with integrated handle and carry handles, filling nozzle with integrated ventilation and bleeding			
Capacity submersible pump CENTRI SP30	30 l/min	Dimensions in cm (l x w x h)	
Capacity battery pack	2 Ah	Reach max. (litres)	
Automatic filling nozzle, 3 m filling hose, charger		Order no. without battery pack and charger	

CEMO Diesel trolley 100 L			Order no. 11598
Trolley for refuelling on the construction site or on the field. Tank made from tested polyethylene with integrated handle and carry handles, filling nozzle with integrated ventilation and bleeding			
Capacity submersible pump CENTRI SP30	30 l/min	Dimensions in cm (l x w x h)	
Capacity battery pack	4 Ah	Reach max. (litres)	
Automatic filling nozzle, 3.7 m filling hose, charger		Order no. without battery pack and charger	



RS05 CAS		Order no. 025503
The ergonomic backpack vacuum cleaner with cross-brand battery pack system from CAS (Cordless Alliance System) ensures safe work without limits, and without cables. The operating unit on the carrying strap makes it easy to switch from standard to quieter, yet still efficient, ECO mode with a runtime of up to 60 minutes (depending on the battery size).		
Operating unit on the carrying strap	ECO mode	
Ergonomic back carrying frame	cordless	
Scope of delivery: stainless steel telescopic suction tube, 1.5m suction hose, 30cm hard floor nozzle, upholstery nozzle, crevice nozzle, nonwoven material dust bag, ASC 145 DUO charger, 2x 18V Li-Power 10.0 Ah battery packs		



S10 Plus CAS			Order no. 022,500	
Dry vacuum cleaner with maximum mobility and efficiency			NEW 	
Runtime 10Ah	up to 70 Min.	Total power		600 W / 36 V
Vacuum	231 mbar	Container volume		12 L
2.2 m suction hose; suction tube chrome-plated; dust filter basket, upholstery nozzle, crevice nozzle, 26cm combination nozzle, nonwoven dust bag. Versions with or without batteries/chargers and with or without HEPA filter				

S10 Plus SL CAS				Order no. 022,560
Robust canister vacuum ensures safe work anywhere without a cable				NEW 
Runtime 10Ah	up to 70 Min.	Total power	600 W / 36 V	
Vacuum	231 mbar	Container volume	12 L	
2.2m suction hose; suction tube chrome-plated; dust filter basket, upholstery nozzle, crevice nozzle Universal Nozzle combination nozzle, nonwoven dust bag. Versions with or without batteries/chargers and with or without HEPA filter				

Toro CAS				Order no. 444,000
Agile, robust and compact scrubbing machine				NEW 
Runtime 10Ah	up to 70 Min.	Total power	600 W	
Area output	1600 - 1800 m²	Working width	43 cm	
2 pc. red scrubber brushes; curved suction nozzle; standard red scraper set; 2 10Ah batteries, DUO charger				

Scrubby CAS				Order no. Scrubby-CAS
Small, easy to handle handheld cleaning machine for brush or pad				NEW 
Runtimes: 4.0Ah / 5.5Ah / 10.0Ah	~2h / ~2.75h / ~5h	Voltage / power	18V / 32W	
Number of speeds	2- 360 + 450 rpm	Working width	18 cm	
Scrub brush Ø 18cm; pad holder with fixed hook and loop closure, Ø 14.5cm.				



Cordless stirrer Xo 20 NC				Order no. 25166
Powerful cordless stirrer with 2-speed gear for quantities up to 40 litres of all common building materials; with Hexafix quick coupling				NEW 
Speed under load 1, / 2. speed	350 / 580 min ⁻¹	Stirrer set	WK 140 HF	
rec. mixing quantity	-40 litres	Stirrer connection	Hexafix	
Stirrer WK 140 HF				



edding portable 12				Order no. LO-G-PO-12-1
Mobile hand-held printer for professional marking on almost any material				
Printing height	up to 12.7 mm	Integration	Applications via MQTT, OPC UA, http request and TCP server	
Printing options	Barcodes, logos, date/time, counter etc.	Weight without battery pack	1.2 kg	
Scope of delivery: Stackable Tanos transport case, 4.0 Ah LiHD battery pack, quick charger, wireless keyboard				

edding portable 25				Order no. LO-G-PO-25-1
Mobile hand-held printer for professional marking on almost any material				
Printing height	up to 25.4 mm	Integration	Applications via MQTT, OPC UA, http request and TCP server	
Printing options	Barcodes, logos, date/time, counter etc.	Weight without battery pack	1.2 kg	
Scope of delivery: Stackable Tanos transport case, 4.0 Ah LiHD battery pack, quick charger, wireless keyboard				

edding portable 50				Order no. LO-G-PO-50-1
Mobile hand-held printer for professional marking on almost any material				
Printing height	up to 50 mm	Integration	Applications via MQTT, OPC UA, http request and TCP server	
Printing options	Barcodes, logos, date/time, counter etc.	Weight without battery pack	1.0 kg	
Scope of delivery: Stackable Tanos transport case, 4.0 Ah LiHD battery pack, quick charger, wireless keyboard				



Cordless plaster smoothing machine EPG 300 A				Order no. 065A3000
Our versatile plaster smoothing machine, now also available with a battery.				
Speed (RPM)	180 min ⁻¹	Bit retainer	Plug connector/velcro	
Base plate	300 mm	Weight	3.6 kg (machine)	
in case incl. base plate, sponge pad, 2x battery packs 5.2 Ah, charger (standard)				

Cordless plaster smoothing Machine EPG 300 A without battery packs and charger				Order no. 065A4000
--	--	--	--	--------------------

Cordless diamond wet drill END 40 A				Order no. 030A1000
Fast and break-proof freehand drilling of hard materials on wall and floor, especially for the HVAC and electronic sector, as well as tilers and roofers				
Battery pack	18 V / 5.2 Ah	Bit retainer	M 12 x 1.5a	
No-load speed	0 - 8000 min ⁻¹	Weight	2.4 kg incl. battery pack	
in carry case, incl. charger (standard), 1 battery pack 5.2 Ah, adapter M12x1.5i / ½ "i, assembly tool				

Cordless diamond wet drill END 40 A – without batteries and charger				Order no. 030A2000
---	--	--	--	--------------------



VARILEX® CORDLESS BRUSHLESS angle grinder base device				Order no. 65282
Transmission- and power-optimised angle grinder- ideal for abrasive flap discs				
Holder	M14 thread	Usable until	Ø 125 mm	
Speed (RPM)	2,000- 7,600 rpm			
Base device in case, without batteries and charger (other variants available with supplementary scope of delivery)				

VARILEX® POLISHER CORDLESS BRUSHLESS angle polisher base device				Order no. 65082
Extremely powerful and robust single-handed polisher for professional use				
Holder	M14 thread	Usable until	Ø 178 mm	
Speed (RPM)	550 - 2,000 rpm			
Base device in case, without batteries and charger (other variants available with supplementary scope of delivery)				

POLY-PTX® CORDLESS BRUSHLESS longitudinal grinding machine base device				Order no. 40352
Professional longitudinal grinding machine with planetary gear train for high torque and long battery life				
Holder	19 mm shaft	Machining width	max. 100 mm	
Speed (RPM)	550 - 2,000 rpm	(with Eco Smart Adapter up to 150 mm)		
Base device in case, without batteries and charger (other variants available with supplementary scope of delivery)				

ROHR-MAX® CORDLESS BRUSHLESS tube belt sander base device				Order no. 38302
Compact pipe grinder for perfect grinding and polishing of round pipes.				
Belt dimensions	30 x 533 mm	Belt speed	1.1 - 6.6 m/sec	
Speed (RPM)	550 - 2,000 rpm			
Base device in case, without batteries and charger (other variants available with supplementary scope of delivery)				

MINI MAX® CORDLESS BRUSHLESS multifunctional grinder base device				Order no. 10062
Multi-function device with many applications for professional users of shank tools				
Usable until	Ø 75 mm	Collet chuck	6 mm	
Speed (RPM)	3000- 10,700 rpm			
Base device in case, without batteries and charger (other variants available with supplementary scope of delivery)				

BAND-IT CORDLESS BRUSHLESS power file base device				Order no. 38152
Particularly compact and powerful belt filing machine with new damping system				
Belt dimensions	5 / 9 x 533 mm	Belt speed	3.1 - 11.8 m/sec.	
Speed (RPM)	2,000 - 7,600 rpm			
Base device in case, without batteries and charger (other variants available with supplementary scope of delivery)				



TOPRAIL CORDLESS BRUSHLESS base device				Order no. 38822
Compact and powerful tube belt sander for easy and fatigue-free grinding, burnishing or polishing.				NEW 
Belt dimensions	40 x 780 mm	Belt speed	1.8 - 6.6 m/sec	
Speed (RPM)	550 - 2,000 rpm			
Base device in case, without battery packs and charger				

ENERPAC® 

Cordless torque screwdriver			Order no. BTW500
CORDLESSTORQUE WRENCH 3/4" SD-500 FT.LBS/670NM WITHOUT CHARGER/BATTERIES			
Square drive size:	3/4"	Weight (without reaction arm and battery) (kg)	3kg
Maximum torque:	500 Ft.lbs	RPM (maximum torque):	175
Scope of delivery: the kit contains a cordless torque screwdriver, a case, and a calibration certificate.			



Cordless torque screwdriver			Order no. BTW1000
BATTERYTORQUE WRENCH 1" SD-1000 FT.LBS/1350NM WITHOUT CHARGER/BATTERIES			
Square drive size:	1"	Weight (without reaction arm and battery) (kg)	4kg
Maximum torque:	1000 Ft.lbs	RPM (maximum torque):	6.75
Scope of delivery: the kit contains a cordless torque screwdriver, a case, and a calibration certificate.			



Cordless torque screwdriver			Order no. BTW2000
BATTERYTORQUE WRENCH 1" SD-2000 FT.LBS/2710NM WITHOUT CHARGER/BATTERIES			
Square drive size:	1"	Weight (without reaction arm and battery) (kg)	5kg
Maximum torque:	2000 Ft.lbs	RPM (maximum torque):	4.25
Scope of delivery: the kit contains a cordless torque screwdriver, a case, and a calibration certificate.			



Cordless torque screwdriver				Order no. BTW3000
BATTERYTORQUE WRENCH 1" SD-3000 FT.LBS/4030NM WITHOUT CHARGER/BATTERIES				
Square drive size:	1"	Weight (without reaction arm and battery) (kg)	8kg	
Maximum torque:	3000 Ft.lbs	RPM (maximum torque):	2	
Scope of delivery: the kit contains a cordless torque screwdriver, a case, and a calibration certificate.				

Cordless torque screwdriver			Order no. BTW6000
BATTERYTQ WRENCH 1-1/2" SD-6000 FT.LBS/8133NM WITHOUT CHARGER/BATTERIES			
Square drive size:	1. 1/2"	Weight (without reaction arm and battery) (kg)	
Maximum torque:	6000 Ft.lbs	RPM (maximum torque):	
Scope of delivery: the kit contains a cordless torque screwdriver, a case, and a calibration certificate.			



18.0 V Cordless drill/screwdriver S				Order no. 5521110	
High-quality workmanship and extremely compact for drilling and screwing work in wood and metal. With Brushless motor for extremely long service life.					
Adjustable torque:		0.5- 5 Nm	Chuck capacity:		1.5- 13 mm
No-load speeds:		0- 550 / 0- 1850 /min	Weight (with battery pack 2.0 Ah):		approx. 1.3 kg
Metal chuck, belt hook, magnetic bit holder, STRAUSSbox 145 midi, without batteries and charger (additional variants with supplementary scope of delivery available)					

18.0 V Cordless Multi-Drill / Screwdriver M				Order no. 5521300
The multitasking tool for drilling and screwing tasks in wood, metal, and in narrow and challenging screwdriving situations. With angle adapter for drilling and screwing in hard to access areas.				
Adjustable torque:	0.5- 5 Nm	Chuck capacity:	1.5- 13 mm	
No-load speeds:	0- 550 / 0- 1850 /min	Weight (with battery pack 2.0 Ah):	approx. 1.3 kg	
Quick change metal chuck, quick change angle adapter, belt hook, magnetic bit holder, STRAUSSbox 145 midi, without batteries and charger (additional variants with supplementary scope of delivery available)				



18.0 V cordless hammer drill L				Order no. 5521170
Powerful for drilling and screwdriving work in wood, metal and masonry. With powerful 2-speed gear unit and up to 60 Nm torque.				
Adjustable torque:	0.5- 5 Nm	Chuck capacity:	1.5- 13 mm	
No-load speeds:	0- 550 / 0- 1850 /min	Weight (with battery pack 2.0 Ah):	approx. 1.3 kg	
Metal chuck, belt hook, magnetic bit holder, STRAUSSbox 145 midi, without batteries and charger (additional variants with supplementary scope of delivery available)				

18.0 V Cordless Angle Grinder, 125 mm				Order no. 5521250	
Universal use for a wide range of applications. Safety thanks to electronic soft start for smooth start-up and restart protection					
Output:		approx. 900 Watt	Spindle thread:		M14
No-load speed:		8,500 /min	Weight (without battery pack):		approx. 1.6 kg
Guard, Inner Support Flange, Side Handle, M14 Quick-locking Nut, STRAUSSbox 165 large, without batteries and chargers (other variants with expanded scope of delivery available)					

18.0 V Cordless Cooling Box Brushless hybrid				Order no. 5520590	
3 operating modes- operate with 18.0 V Li-Ion CAS batteries, mains cable or 12.0 V vehicle charging cable					
max. cooling output at ambient temperature:		17 °C	Volume:		approx. 24 l
max. temperature for keeping warm:		60 °C	Weight (with battery pack 2.0 Ah):		approx. 5.9 kg
Delivered without battery, separation grid, mains cable with 230.0 V protected contact plug, 12.0 V vehicle charging cable (other variants with expanded scope of delivery available)					

FELDER®

FAT 300 S work table Power Drive

Order no. 420-231

Machine setup cart, storage aid, stack trolley or additional work station- the height adjustable Felder work table is versatile, and always offers the best stability and easy mobility. Loads up to 300 kg can be adjusted in a flash to the user's optimal working height. The height adjustment function works via an electromechanical drive that is supplied by an 18 volt LiHD battery and that works very quietly with a noise level of 50 dB.

Continuously adjustable working height	540-1035 mm	Load-bearing capacity	300 kg
Electromechanical height adjustment	495 mm	Frame	1440 mm x 770 mm
Lockable castors and 2 castors with directional lock			

NEW



fischer cordless impact wrench FSS18V 400 BL - Set 1

Order no. 552922

The specialist for concrete screws in diameter 6-10.

Battery pack voltage	18 V	Max. idle speed	0-2150 /min
Maximum torque	400 Nm	Torque levels	12



fischer cordless impact wrench FSS 18V 400 BL - Set 2

Order no. 552924

The specialist for concrete screws in diameter 6-10.

Battery pack voltage	18 V	Max. idle speed	0-2150 /min
Maximum torque	400 Nm	Torque levels	12



fischer cordless impact wrench FSS 18V 400 BL - Set 3

Order no. 552926

The specialist for concrete screws in diameter 6-10.

Battery pack voltage	18 V	Max. idle speed	0-2150 /min
Maximum torque	400 Nm	Torque levels	12



fischer cordless impact wrench FSS 18V 400 BL - Set 4

Order no. 552928

The specialist for concrete screws in diameter 6-10.

Battery pack voltage	18 V	Max. idle speed	0-2150 /min
Maximum torque	400 Nm	Torque levels	12



fischer cordless impact wrench FSS 18V 600 - Set 1

Order no. 552923

The specialist for concrete screws in diameter 8-14.

Battery pack voltage	18 V	Max. idle speed	0-1600 /min
Maximum torque	600 Nm	Maximum impact rate	2200 /min



fischer cordless impact wrench FSS 18V 600 - Set 2

Order no. 552925

The specialist for concrete screws in diameter 8-14.

Battery pack voltage	18 V	Max. idle speed	0-1600 /min
Maximum torque	600 Nm	Maximum impact rate	2200 /min



fischer cordless impact wrench FSS 18V 600 - Set 3

Order no. 552927

The specialist for concrete screws in diameter 8-14.

Battery pack voltage	18 V	Max. idle speed	0-1600 /min
Maximum torque	600 Nm	Maximum impact rate	2200 /min



fischer cordless impact wrench FSS 18V 600 - Set 4

Order no. 552929

The specialist for concrete screws in diameter 8-14.

Battery pack voltage	18 V	Max. idle speed	0-1600 /min
Maximum torque	600 Nm	Maximum impact rate	2200 /min



fischer cordless dispenser FIS DB S Pro

Order no. 558955

The cordless dispenser for the professional.

For cartridge sizes	150ml, 300ml, 360ml, 390ml, silicone cartridges	Feed rate	1.5 - 4.0 mm/s
Battery pack voltage	18 V	Weight	3.0 kg (without battery pack)



fischer cordless dispenser FID DB SL Pro

Order no. 562004

The cordless dispenser for the professional.

For cartridge sizes	585ml, 825ml	Feed rate	1.5 - 4.0 mm/s
Battery pack voltage	18 V	Weight	3.2 kg (without battery pack)



Birdie®

Order no. 174 6720

Cordless blind riveting tool, The new member of the CAS family, light, small and fast! Impresses with its particularly light weight and yet enormous power.

Blind rivet up to 5.0 mm all materials	Max. rivet mandrel Ø	3.7 mm	
Placement force	10 kN	Drive	18 V BLDC motor



BRUSHLESS

AccuBird® Pro

Order no. 167 9661

Cordless riveting tool, extremely versatile thanks to large working range, with low-wear BLDC motor and high-quality chuck jaw system, with pinpoint lighting

Blind rivet from Ø 2.4 mm up to Ø 6.0 mm all materials	Max. rivet mandrel Ø	3.7 mm	
Placement force	13 kN	Drive	18 V BLDC motor



BRUSHLESS

30

31

PowerBird® Pro Gold Edition			Order no. 167 9666
Cordless riveting tool, high placement force also for particularly powerful rivet, low-wear BLDC motor and high-quality chuck jaw system, with pinpoint lighting			 BRUSHLESS
Blind rivet from Ø 2.4 mm to Ø 6.4 mm all materials	Max. rivet mandrel Ø	4.3 mm	
Placement force	20 kN	Drive	
Scope of delivery: Tool case L-Boxx, mouthpieces 17/32, 17/36, 17/40, 17/45, mounting key, battery pack 2.0 Ah, charger			

iBird® Pro			Order no. 167 9683
Linkable riveting tool for industry 4.0, WLAN-compatible, with GESIPA® app and optional setting process assistant, with pinpoint lighting			 BRUSHLESS
Blind rivet from Ø 2.4 mm to Ø 6.4 mm all materials	Max. rivet mandrel Ø	4.3 mm	
Placement force	20 kN	Drive	
Scope of delivery: Tool case L-Boxx, mouthpieces 17/32, 17/36, 17/40, 17/45, mounting key, battery pack 2.0 Ah, charger			

FireBird® Pro			Order no. 167 9670
Cordless blind riveting tool, very easy operation with digital setting power adjustment, automatic drilling off, with pinpoint lighting			 BRUSHLESS
Max. rivet nut size	Alu M10, steel M8, stainless steel M6		
Placement force	15 kN	Drive18 V BLDC motor	
Scope of delivery: Tool case L-Boxx, threaded mandrel and mouthpiece M4, M5, M6, 2 open-end wrench, battery pack 2.0 Ah, Charger			

FireBird® Pro Gold Edition			Order no. 167 9674
Cordless blind riveting tool, very easy operation with digital setting power adjustment, automatic drilling off, ideal for changing applications, with pinpoint lighting			
Max. rivet nut size	Alu and steel M12, stainless steel M10		
Placement force	20 kN	Drive	18 V BLDC motor
Scope of delivery: Tool case L-Boxx, threaded mandrel and mouthpiece M6, M8, M10, 2 open-end wrench, battery pack 2.0 Ah, Charger			



BRUSHLESS

FireBird® Pro S Gold Edition			Order no. 167 9678
Cordless blind rivet nut setting tool, automatic drilling off, with stroke setting for processing large quantities of the same dimension in the same application, with pinpoint lighting			 BRUSHLESS
Max. rivet nut size	Alu and steel M12, stainless steel M10		
Placement force	20 kN	Drive18 V BLDC motor	
Scope of delivery: Tool case L-Boxx, threaded mandrel and mouthpiece M6, M8, M10, 2 open-end wrench, battery pack 2.0 Ah, Charger			



Voyager 4 BC Lithium				Order no. 15491210001
This compact, lightweight and extremely durable backpack vacuum cleaner is carried comfortably like a backpack, offering better mobility while cleaning.				NEW 
Max. power consumption	350 W	Air flow rate	33 l/s	
Paper filter capacity	3.3 l	Vacuum	155 mbar	
Included accessories: 1.5 m flexible hose, aluminium telescopic tube, aluminium extension tube 0.5 m, dry floor nozzle RD285, dry floor nozzle D320, upholstery nozzle, round brush, crevice nozzle, cartridge filter (filter area 0.42 m²), textile filter, nonwoven filter bag l 3.3, set of 2 lithium batteries 18V 5.5Ah and 8A charger				

Voyager 4 BC Lithium Swift				Order no. 15441210001
Compact, lightweight, ergonomic and durable dry vacuum cleaner. It is worn like a backpack, leaves your hands free and offers maximum mobility while cleaning.				NEW 
Max. power consumption	350 W	Air flow rate	33 l/s	
Paper filter capacity	3.3 l	Vacuum	155 mbar	
Included accessories: 1.5 m flexible hose, aluminium telescopic tube, aluminium extension tube 0.5 m, dry floor nozzle RD285, dry floor nozzle D320, upholstery nozzle, round brush, crevice nozzle, cartridge filter (filter area 0.42 m²), textile filter, nonwoven filter bag l 3.3, set of 2 lithium batteries 18V 4.0 Ah and 8A charger				



Autotool CPK hybrid				Order no. 106-60000
Automatic bundling tool Autotool CPK hybrid for processing plastic cable ties				
Cycle time:	0.65-1.0 sec	Bundling product diameter max:	20.0 mm	
Number of cable ties tied with one battery pack charge:	8,000 pcs	Tensile force:	adjustable	
Scope of delivery: without battery pack, without charger, in case				

Handtool ProCut				Order no. 104-10010
Battery operated high-power and hand tool for processing plastic cable ties				NEW 
Number of cable ties tied with one battery pack charge:	2,000pc	Tensile force- 16 levels:	adjustable	
Scope of delivery: without battery pack, without charger, in case				



Cordless mini cutter CCU10				Order no. 151001500
Mini cutter suitable for many applications e.g. when cutting car pedals, headrests and steering wheels. Also suitable for cutting steel rebar (USAR), fences, steel rods, wooden poles and chains (grade 43)				
max. operating pressure	72 720 / 72 bar/Mpa	theoretical cutting force	kN/t 220 / 22.4	
max. cutting opening	59 mm	Weight	4.9 kg	
i-bolt technology, integrated LED lighting, two 18V 2 Ah battery packs CBPA182				



Z99R Dual Grade Laser Level Red Beam			Order no. 012-Z99R	
Dual grade laser level, can be used for horizontal, angled and vertical laser applications. Inclinations up to ±10% in the X or Y axis are possible.			NEW 	
Range	400 m (diameter)	Precision		±1.5mm @ 30m
Rotational speed	300, 600, 900 rpm (selectable)	Precision H:		±10%
iConnect App Manager (Bluetooth 5.0). Remote coupling and operation via smartphone possible (horizontal operation 100 m, vertical operation 20 m).				



ITH Battery Nut Runner type ADS50-3**

Order no. 24.310.0050-y

Previous model ADS 3. ALPHA rotational angle function and digital documentation optional.

Maximum torque	500 Nm	Output (for power wrench sockets)	3.4
Length	251 mm	Weight (without support and battery pack)	3.1

Scope of delivery: including LiHD battery packs, quick charging station, customisable support, operating manual including calibration certificate

NEW



ITH Battery Nut Runner type ADS100-3+

Order no. 24.311.0100-y

Compact, high-performance planetary gear train. 1-Speed solution. ALPHA rotational angle function and digital documentation optional.

Maximum torque	1,000 Nm	Output (for power wrench sockets)	3/4 or 1"
Length	270 mm	Weight (without support and battery pack)	3.9 kg

Scope of delivery: including 2 LiHD batteries (5.5 Ah or 8.0 Ah), quick charging station, customizable support, operating manual including calibration certificate

NEW



ITH Battery Nut Runner type AD150-3+

Order no. 24.311.0230-y

Compact, high-performance planetary gear train. 1-Speed solution. ALPHA rotational angle function and digital documentation optional.

Maximum torque	2,300 Nm	Output (for power wrench sockets)	1"
Length	300 mm	Weight (without support and battery pack)	4.5

Scope of delivery: including 2 LiHD batteries (5.5 Ah or 8.0 Ah), quick charging station, customizable support, operating manual including calibration certificate

NEW



ITH Battery Nut Runner type ADS230-3+

Order no. 24.311.0230-y

Compact, high-performance planetary gear train. 1-Speed solution. ALPHA rotational angle function and digital documentation optional.

Maximum torque	2,300 Nm	Output (for power wrench sockets)	1"
Length	300 mm	Weight (without support and battery pack)	4.5

Scope of delivery: including 2 LiHD batteries (5.5 Ah or 8.0 Ah), quick charging station, customizable support, operating manual including calibration certificate

NEW



ITH Battery Nut Runner type ADS320-3+

Order no. 24.311.0320-y

Compact, high-performance planetary gear train. 1-Speed solution. ALPHA rotational angle function and digital documentation optional.

Maximum torque	3,200 Nm	Output (for power wrench sockets)	1"
Length	319 mm	Weight (without support and battery pack)	5.6

Scope of delivery: including 2 LiHD batteries (5.5 Ah or 8.0 Ah), quick charging station, customizable support, operating manual including calibration certificate

NEW



ITH Battery Nut Runner type ADS400-3

Order no. 24.310.0400-y

Previous model ADS 3. Automatic shut-off and relieving. ALPHA rotational angle function and digital documentation optional.

Maximum torque	4,000 Nm	Output (for power wrench sockets)	1 1/2"
Length	337 mm	Weight (without support and battery pack)	8.8

Scope of delivery: including LiHD battery packs, quick charging station, customisable support, operating manual including calibration certificate

NEW



ITH Battery Nut Runner type ADS470-3+

Order no. 24.311.0470-y

Compact, high-performance planetary gear train. 1-Speed solution. ALPHA rotational angle function and digital documentation optional.

Maximum torque	4,700 Nm	Output (for power wrench sockets)	1 1/2"
Length	336 mm	Weight (without support and battery pack)	7

Scope of delivery: including 2 LiHD batteries (5.5 Ah or 8.0 Ah), quick charging station, customizable support, operating manual including calibration certificate

NEW



ITH Battery Nut Runner type ADS700-3+

Order no. 24.311.0700-y


Compact, high-performance planetary gear train. 1-Speed solution. ALPHA rotational angle function and digital documentation optional.

Maximum torque	7,000 Nm	Output (for power wrench sockets)	1 1/2"
Length	364 mm	Weight (without support and battery pack)	9.2

Scope of delivery: including 2 LiHD batteries (5.5 Ah or 8.0 Ah), quick charging station, customizable support, operating manual including calibration certificate

NEW





Hand Dry Cutter 8203E


Order no. 608295E

Ideal for cutting steel, metal sheet, sandwich panels, metal plates, tubes and profiles made of steel, non-ferrous materials and composites. Sawing without the need for lubrication thanks to DRY CUT TECHNOLOGY

Voltage	18V	Net weight (without SB & battery packs)	5.4 kg
No-load speed	3,500 min ⁻¹	Cutting depth 90° 45°	67 42 mm

1 x Carry case, 1x Ø 203/48T carbide tipped "LBS impact resistant" saw blade, 2x high performance 18V LiHD 5.5A battery packs, 1x air-cooled LiHD high speed loading station, 2x adapters for guide rail





Floor Cleaner Junior 18


Order no. FCJ-18

Floor sander for dry and wet cleaning as well as sanding work

Dimensions base plate	190 x 340 mm	Motor output	300 Watt
Depth of feed	5 mm	Water tank fill volume	3 litres

Scope of delivery: cordless machine incl. water tank





Zeta P2 cordless profile biscuit joiner, DP set, in systainer, incl. battery packs and charger

Order no. 101801DESD

The powerful P-system profile biscuit joiner for cordless freedom

Supplied router bit	P-System DP	Battery pack capacity	18V, 4.0 Ah
Groove width	7/10mm	Weight	3.7 kg incl. battery pack



Classic X cordless biscuit joiner, set, in systainer, incl. battery packs, charger, plug type C Euro

Order no. 101701DES

The original biscuit joiner- precise and cordless

Supplied router bit	Lamello System HW	Battery pack capacity	18V, 4.0 Ah
Groove width	4 mm	Weight	3.1 kg incl. battery pack

Scope of delivery: Classic X battery pack, 2 x battery pack 18V LiHD 4.0 Ah, charger ASC 55, dust bag, angle stop





DuoScreed-Li

A multifunctional, battery-operated tool that can be used to make screed and compact concrete

Drive unit	36V - 700 Watt (max. power) brushless motor	Profile	Heavy duty and lightweight profiles up to 5 meters
RPM	speed regulated	Weight of the drive unit	16 kg

With 2 batteries and a double quick charger standard

Order no. Coming soon





High-performance cordless jig saw PS 2-18 PURE in MAX3

With its powerful battery drive, the PS 2-18 performance jigsaw goes to all new places, and leaves no room for compromises when it comes to precision, power and comfort.

Stroke height	26 mm	Idle stroke rate	750 - 3100 1/min
Cutting depth	65/115 mm	Weight without battery pack	2.2 kg

3 jigsaw blade CUnex W1, W2, W7; 1 parallel guide P-PA; 1 base plate P-GP; 1 extraction nozzle P-AS; 1 extraction nozzle extension; 1 chip deflector P-SS; 5 chip screen P-S; 1 slider P-G

Order no. 91C102



Cordless Cross-Cutting System KSS 40 18M bl PURE in T-MAX

Unique cross-cutting system for precise angled and mitre cuts up to 40 mm cutting depth

Cutting depth with guide track	0 - 40 mm	Swivel range	0 - 45°
Cutting length	300 mm	Weight without battery pack	3.00 kg

1 Router guide S; 1 TCT saw blade 120 x 1.2/1.8 x 20 mm, Z 24, WZ; 1 parallel guide; 1 dust bag

Order no. 91D502



Cordless Cross-Cutting System KSS 50 18 M bl PURE in carrying case

Unique cross-cutting system for precise angled and mitre cuts up to 52 mm cutting depth

Cutting depth with guide track	0 - 52 mm	Swivel range	0 - 45°
Cutting length	407 mm	Weight without battery pack	5.05 kg

1 Router guide track M; 1 TCT saw blade, 168 x 1.2/1.8 x 20 mm, Z 32, WZ; 1 dust bag

Order no. 91D702



Cordless Cross-Cutting System KSS 60 18M bl PURE in carrying case

Unique cross-cutting system for precise angled and mitre cuts up to 61 mm cutting depth

Cutting depth with guide track	0 - 61 mm	Swivel range	0 - 45°
Cutting length	408 mm	Weight without battery pack	5.15 kg

1 Router guide M; 1 TCT saw blade 185 x 1.2/1.8 x 20 mm, Z32, WZ; 1 parallel guide fence

Order no. 91D902



Cordless Portable Circular Saw MS 55-18 PURE

Powerful circular saw with new bevel cuts up to 45 for more cutting depth

Cutting depth	0 - 55 mm	Swivel range	0 - 45°
Cutting depth at 45°	0 - 48 mm	Weight without battery pack	3.1 kg

1 TCT saw blade Construction Site 160 x 1.2/1.4 x 20 mm, Z32, WZFA; 1 stop bracket

Order no. 91E909



NEW

Cordless Portable Circular Saw K 55 18M bl PURE in the T-MAX

Powerful circular saw with new bevel cuts up to 45 for more cutting depth

Cutting depth	0 - 58 mm	Swivel range	0 - 45°
Cutting depth at 45°	0 - 48 mm	Weight without battery pack	3.65 kg

1 TCT saw blade, 168 x 1.2/1.8 x 20 mm, Z 24, WZ; 1 dust bag

Order no. 91D602



Cordless Portable Circular Saw K 65 18M bl PURE in the T-MAX

Powerful circular saw with new bevel cuts up to 45 for more cutting depth

Cutting depth	0 - 67 mm	Swivel range	0 - 45°
Cutting depth at 45°	0 - 53 mm	Weight without battery pack	3.75 kg

1 TCT saw blade 185 x 1.2/1.8 x 20 mm, Z16, WZ; 1 parallel guide; 1 chip bag

Order no. 91D802



Cordless Portable Circular Saw K 85-18 PURE in L-MAX

Powerful circular saw with new bevel cuts up to 45 for more cutting depth

Cutting depth	0 - 88 mm	Swivel range	0 - 60°
Cutting depth at 45°	0 - 61.5 mm	Weight without battery pack	6.1 kg

1 TCT saw blade 237 x 1.8/2.5 x 30 mm, Z 12, WZ; 1 parallel guide K85-PA; 1 chip bag

Order no. 91E302



NEW

Cordless Plunge-Cut Saw MT 55 18 M bl PURE in the T-MAX

Compatible with other track systems with scoring function and innovative saw blade change

Cutting depth	0 - 57 mm	Swivel range	-1 - 48°
Cutting depth at 45°	0 - 40.5 mm	Weight without battery pack	3.85 kg

1 TCT saw blade 162 x 1.2/1.8 x 20 mm, Z 48, WZ; 1 position indicator MT-PA; 1 parallel guide; 1 chip bag

Order no. 91E002



NEW

Cordless angle grinderWS 125-18 PURE in MAX3

The electronics offer excellent user comfort: with soft start for jerk-free start-up, an electronic safety shut-off function if the insertion tool is blocked, and restart protection that prevents unintentional start-up after a battery change.

Tool Ø	125 mm	Sound pressure level	81 db (A)
Rated idle speed	10,000 1/min	Weight without battery pack	1.9 kg

1 Cutting disc ø 125 x 1.0 x 22.23; 1 guard CLIP; 1 quick flange

Order no. 91F102



NEW

Cordless surface shaver PF 80-18 PURE in MAX3

The new generation of brushless motor is service-free and highly efficient.

Milling diameter	80 mm	Sound pressure level	90 dB (A)
Rated idle speed	10,000 1/min	Weight without battery pack	3.2 kg

1 extraction nozzle, 1 hex nut driver A35 DIN3116, 1 screwdriver T20

Order no. 9M2102



NEW

Cordless gutter bracket router RF 34-18 PURE in MAX3

The cordless gutter bracket milling machine for quick and precise grooves for gutter brackets.

Removal width	34 mm	Tool Ø	100 mm
Cutting depth	6-10 mm	Weight without battery pack	3.2 kg

1 Screwdriver SW4

Order no. 9M2202



NEW

Cordless Drill Driver A 18 PURE in the T-MAX

For extreme challenges, we gave the new generation of the A 18 a uniquely robust design and even more power.

Chuck capacity	13 mm	Torque soft/hard	65/130 Nm
Max. drilling diameter in wood/steel	68/13 mm	Weight without battery pack	1.2 kg

1 Quick change chuck A-SBF 13, 1 quick change bit holder A-SBH, 1 belt clip, 1 side handle

Order no. 91C802



Cordless Impact Drill Driver ASB 18 PURE in the T-MAX

For extreme challenges, we gave the new generation of the ASB 18 a uniquely robust design and even more power.

Chuck capacity	13 mm	Torque soft/hard	65/130 Nm
Max. drilling diameter in wood/steel	68/13 mm	Weight without battery pack	1.2 kg

1 Quick change chuck A-SBF 13, 1 quick change bit holder A-SBH, 1 belt clip, 1 side handle

Order no. 91C902





E-Screed by Magic Screed

Order no: HDE-2525

The E-Screed by Magic Screed is a precision-engineered, lightweight wet screed designed for effortless, single-operator concrete leveling. Delivering high-frequency vibration, it ensures uniform concrete distribution across the entire blade length, enhancing consolidation for superior structural integrity.

Power output	36V - 15AH - 550 W brushless motor	Blade options	4- 16 ft. (1 - 5 meters)
Weight (without blade and batteries)	25 lbs	Ergonomic features	Twist-throttle, adjustable handles, kick stand, and carrying bar.

Battery case containing 2x 18V (10AH) batteries and a double battery charger.3

NEW

18 Volt Cordless drill / screwdriver BS 18 Quick

Order no. 602217840

Light compact drill/screwdriver for versatile use

Maximum torque, soft	24 Nm	Maximum torque, hard	48 Nm
Drill Ø steel	10 mm	Drill-Ø soft wood	20 mm

without battery pack, without charger, in metaBOX 145

18 Volt Cordless drill/screwdriver BS 18 L

Order no. 614051500

Reliable, powerful cordless drill for all common drilling and screwing applications

Maximum torque, soft	26 Nm	Maximum torque, hard	60 Nm
Drill Ø steel	13 mm	Drill-Ø soft wood	36 mm

2 LiPOWER battery packs (18V/2.0 Ah), SC 36 charger, metaBOX 145

NEW

18 Volt Cordless drill / screwdriver BS 18 L Quick

Order no. 614052500

Reliable, powerful cordless drill with Metabo quick system for all common drilling and screwing applications

Maximum torque, soft	26 Nm	Maximum torque, hard	60 Nm
Drill Ø steel	13 mm	Drill-Ø soft wood	36 mm

2 LiPOWER battery packs (18V/2.0 Ah), SC 36 charger, metaBOX 145

NEW

18 Volt Cordless drill / screwdriver BS 18 LT

Order no. 602102840

Powerful drill/screwdriver with Metabo 4-pole motor for fast drilling and screwdriving

Maximum torque, soft	34 Nm	Maximum torque, hard	60 Nm
Drill Ø steel	13 mm	Drill-Ø soft wood	38 mm

without battery pack, without charger, in metaBOX 145

18 Volt Cordless drill / screwdriver BS 18 LT BL

Order no. 602325840

Brushless drill/screwdriver with optimal power for demanding applications

Maximum torque, soft	34 Nm	Maximum torque, hard	75 Nm
Drill Ø steel	13 mm	Drill-Ø soft wood	38 mm

without battery pack, without charger, in metaBOX 145

BRUSHLESS

18 Volt Cordless drill / screwdriver BS 18 LT BL Q

Order no. 602334840

Brushless drill/screwdriver with compact design and Metabo quick system for universal and demanding applications

Maximum torque, soft	34 Nm	Maximum torque, hard	75 Nm
Drill Ø steel	13 mm	Drill-Ø soft wood	38 mm

without battery pack, without charger, in metaBOX 145

BRUSHLESS

18 Volt Cordless drill / screwdriver BS 18 LTX Impuls

Order no. 602191840

Powerful drill/screwdriver with impulse mode and Metabo 4-pole motor for fast drilling and screwdriving

Maximum torque, soft	55 Nm	Maximum torque, hard	110 Nm
Drill Ø steel	13 mm	Drill-Ø soft wood	65 mm

without battery pack, without charger, in metaBOX 145 L

18 Volt Cordless drill / screwdriver BS 18 LTX BL I

Order no. 602358840

Brushless drill/screwdriver with maximum power for demanding applications

Maximum torque, soft	65 Nm	Maximum torque, hard	130 Nm
Drill Ø steel	13 mm	Drill-Ø soft wood	68 mm

without battery pack, without charger, in metaBOX 145 L

BRUSHLESS

18 Volt Cordless drill / screwdriver BS 18 LTX BL Q I

Order no. 602359840

Brushless drill/screwdriver with maximum power for demanding applications and Metabo quick system

Maximum torque, soft	65 Nm	Maximum torque, hard	130 Nm
Drill Ø steel	13 mm	Drill-Ø soft wood	68 mm

without battery pack, without charger, in metaBOX 145 L

BRUSHLESS

18 Volt Cordless 3-speed drill / screwdriver BS 18 LTX-3 BL Q I

Order no. 603184840

Brushless 3-speed drill/screwdriver with maximum power and Metabo QuickPlus system, ideal for demanding applications

Maximum torque, soft	65 Nm	Maximum torque, hard	130 Nm
Drill Ø steel	16 mm	Drill-Ø soft wood	68 mm

without battery pack, without charger, in metaBOX 145 L

BRUSHLESS

18 Volt Cordless 3-speed drill / screwdriver BS 18 LTX-3 BL I metal

Order no. 603181840

Brushless 3-speed drill/screwdriver with maximum power and extremely powerful chuck, ideal for very demanding metal application

Maximum torque, soft	65 Nm	Maximum torque, hard	130 Nm
Drill Ø steel	16 mm	Drill-Ø soft wood	68 mm

without battery pack, without charger, in metaBOX 145 L

BRUSHLESS

18 Volt Cordless 3-speed drill / screwdriver BS 18 LTX-3 BL Q I metal

Order no. 603180840

Brushless 3-speed drill/screwdriver with maximum power and extremely powerful chuck "QuickPlus", ideal for very demanding metal applications

Maximum torque, soft	65 Nm	Maximum torque, hard	130 Nm
Drill Ø steel	16 mm	Drill-Ø soft wood	68 mm

without battery pack, without charger, in metaBOX 145 L

BRUSHLESS

18 Volt Cordless tapper GB 18 LTX BL Q I

Order no. 602362840

High-grade cordless drill/screwdriver with unique, patented thread-tapping function

Maximum torque, soft	65 Nm	Maximum torque, hard	130 Nm
Thread diameter	M12 (1/2" UNC/UNF)		

without battery pack, without charger, in metaBOX 145 L

BRUSHLESS

18 Volt cordless hammer drill SB 18 L

Order no. 614053500

Reliable, powerful impact driver for all common drilling and screwing applications

Maximum torque, soft	26 Nm	Maximum torque, hard	60 Nm
Drill-Ø masonry	13 mm	Drill Ø steel	13 mm

2 LiPOWER battery packs (18V/2.0 Ah), SC 36 charger, metaBOX 145

NEW

38

39

18 Volt Cordless hammer drill SB 18 L Quick				Order no. 614054500
Reliable, powerful impact driver with Metabo quick system for all common drilling and screwing applications				NEW 
Maximum torque, soft	26 Nm	Maximum torque, hard	60 Nm	
Drill-Ø masonry	13 mm	Drill Ø steel	13 mm	
2 LiPOWER battery packs (18 V/2.0 Ah), SC 36 charger, metaBOX 145				
18 Volt Cordless hammer drill SB 18 LT				Order no. 602103840
Powerful hammer drill with Metabo 4-pole motor for fast, flexible working				
Maximum torque, soft	34 Nm	Maximum torque, hard	60 Nm	
Drill-Ø masonry	13 mm	Drill Ø steel	13 mm	
without battery pack, without charger, in metaBOX 145				
18 Volt Cordless hammer drill SB 18 LT BL				Order no. 602316840
Brushless hammer drill with optimal power for demanding applications				BRUSHLESS 
Maximum torque, soft	34 Nm	Maximum torque, hard	75 Nm	
Drill-Ø masonry	13 mm	Drill Ø steel	13 mm	
without battery pack, without charger, in metaBOX 145				
18 Volt Cordless hammer drill SB 18 LTX Impuls				Order no. 602192840
Powerful hammer drill with impulse mode and Metabo 4-pole motor for fast drilling and screwdriving				
Maximum torque, soft	55 Nm	Maximum torque, hard	110 Nm	
Drill-Ø masonry	16 mm	Drill Ø steel	13 mm	
without battery pack, without charger, in metaBOX 145 L				
18 Volt Cordless hammer drill SB 18 LTX BL I				Order no. 602360840
Brushless cordless hammer drill with maximum power for demanding applications				BRUSHLESS 
Maximum torque, soft	65 Nm	Maximum torque, hard	130 Nm	
Drill-Ø masonry	16 mm	Drill Ø steel	13 mm	
without battery pack, without charger, in metaBOX 145 L				
18 Volt Cordless hammer drill SB 18 LTX BL Q I				Order no. 602361840
Brushless cordless hammer drill with maximum power for demanding applications and Metabo quick system				BRUSHLESS 
Maximum torque, soft	65 Nm	Maximum torque, hard	130 Nm	
Drill-Ø masonry	16 mm	Drill Ø steel	13 mm	
without battery pack, without charger, in metaBOX 145 L				
18 Volt cordless 3-speed hammer drill SB 18 LTX-3 BL Q I				Order no. 603185840
Brushless 3-speed hammer drill with maximum power and Metabo QuickPlus system, ideal for demanding applications				BRUSHLESS 
Maximum torque, soft	65 Nm	Maximum torque, hard	130 Nm	
Drill-Ø masonry	16 mm	Drill Ø steel	16 mm	
without battery pack, without charger, in metaBOX 145 L				
18 Volt cordless 3-speed hammer drill SB 18 LTX-3 BL I metal				Order no. 603183840
Brushless 3-speed hammer drill with maximum power and extremely powerful chuck, ideal for very demanding metal applications				BRUSHLESS 
Maximum torque, soft	65 Nm	Maximum torque, hard	130 Nm	
Drill-Ø masonry	16 mm	Drill Ø steel	16 mm	
without battery pack, without charger, in metaBOX 145 L				

18 Volt cordless 3-speed hammer drill SB 18 LTX-3 BL Q I metal				Order no. 603182840
Brushless 3-speed hammer drill with maximum power and extremely powerful chuck "QuickPlus", ideal for very demanding metal applications				 BRUSHLESS
Maximum torque, soft	65 Nm	Maximum torque, hard	130 Nm	
Drill-Ø masonry	16 mm	Drill Ø steel	16 mm	
without battery pack, without charger, in metaBOX 145 L				
18 Volt Cordless drywall screwdriver TBS 18 LTX BL 5000				Order no. 620063840
The expert among the cordless drywall screwdrivers with high speed for fast screwdriving in series of gypsum plasterboard				 BRUSHLESS
Bit retainer	Hexagon recess 1/4" (6.35 mm)	Maximum torque, soft	6 Nm	
No-load speed	0- 5,000 /min			
without battery pack, without charger, in metaBOX 145 L				
18 Volt Cordless drill / screwdriver for woodworking HBS 18 LTX BL 3000				Order no. 620062840
Universal cordless screwdriver for woodworking for all applications in drywall construction, ideal for joining gypsum fibre boards and wooden boards				 BRUSHLESS
Bit retainer	Hexagon recess 1/4" (6.35 mm)	Maximum torque, soft	10 Nm	
No-load speed	0- 3,000 /min			
without battery pack, without charger, in metaBOX 145 L				
18V Cordless impact driver SSD 18 LT 200 BL				Order no. 602397840
Compact cordless impact driver with 1/4" hexagon recess and 200 Nm				 BRUSHLESS
Maximum torque	200 Nm			
Bit retainer	Hexagon recess 1/4" (6.35 mm)			
without battery pack, without charger, in metaBOX 145				
18 Volt Cordless impact wrench SSW 18 LT 300 BL				Order no. 602398840
Compact cordless impact driver with 1/2" male square and 300 Nm				 BRUSHLESS
Maximum torque	300 Nm			
Bit retainer	Male square drive 1/2" (12.70 mm)			
without battery pack, without charger, in metaBOX 145				
18V Cordless impact driver SSD 18 LTX 200 BL				Order no. 602396840
Compact cordless impact driver with 1/4" hexagon recess and 200 Nm, versatile application				 BRUSHLESS
Maximum torque	200 Nm			
Bit retainer	Hexagon recess 1/4" (6.35 mm)			
without battery pack, without charger, in metaBOX 145				
18 Volt Cordless impact wrench SSW 18 LTX 300 BL				Order no. 602395840
Compact cordless impact driver with 1/2" male square and 300 Nm, versatile application				 BRUSHLESS
Maximum torque	300 Nm			
Bit retainer	Male square drive 1/2" (12.70 mm)			
without battery pack, without charger, in metaBOX 145				
18 Volt Cordless impact wrench SSW 18 LTX 400 BL				Order no. 602205840
Handy cordless impact wrench with 1/2" male square and high torque of 400 Nm				 BRUSHLESS
Maximum torque	400 Nm			
Bit retainer	Male square drive 1/2" (12.70 mm)			
without battery pack, without charger, in metaBOX 145				
18 Volt Cordless impact wrench SSW 18 LTX 800 BL				Order no. 602403840
Powerful cordless impact driver with 1/2" male square and 800 Nm				 BRUSHLESS
Maximum torque	800 Nm	Bit retainer	Male square drive 1/2" (12.70 mm)	
without battery pack, without charger, in metaBOX 145 L				

18 Volt cordless angle grinderWB 18 LT BL 11-125 Quick			Order no. 613054840
Brushless cordless angle grinder with disc brake, as powerful as a 1100 Watt mains-powered tool			 BRUSHLESS
Grinding wheel Ø	125 mm	No-load speed	10,000 /min
without battery pack, without charger, in metaBOX 165 L			
18 Volt cordless angle grinderWVB 18 LT BL 11-115 Quick			Order no. 613056840
Brushless cordless angle grinder with disc brake and speed setting, as powerful as a 1100 Watt mains-powered tool			 BRUSHLESS
Grinding wheel Ø	115 mm	No-load speed	2,800 - 10,000 /min
without battery pack, without charger, in metaBOX 165 L			
18 Volt cordless angle grinderWVB 18 LT BI 11-125 Quick			Order no. 613057840
Brushless cordless angle grinder with disc brake and speed setting, as powerful as a 1100 Watt mains-powered tool			 BRUSHLESS
Grinding wheel Ø	125 mm	No-load speed	2,800 - 10,000 /min
without battery pack, without charger, in metaBOX 165 L			
18 Volt cordless angle grinderWVB 18 LT BL 11-125 Quick Inox			Order no. 613091850
Perfect processing of stainless steel: powerful angle grinder with high gear reduction and adjustable reduced speed for cool finish			 BRUSHLESS
Grinding wheel Ø	125 mm	No-load speed	2,000 - 7,600 /min
without battery pack, without charger			
18 Volt cordless angle grinderWPB 18 LT BL 11-125 Quick			Order no. 613059840
Brushless cordless angle grinder with disc brake and deadman switch, as powerful as a 1100 Watt mains-powered tool			 BRUSHLESS
Grinding wheel Ø	125 mm	No-load speed	10,000 /min
without battery pack, without charger			
18 Volt Cordless angle grinder WB 18 LTX BL 15-125 Quick			Order no. 601730840
Brushless cordless angle grinder of the new generation: the most powerful one in its class, as powerful as a 1500 Watt mains-powered tool			 BRUSHLESS
Grinding wheel Ø	125 mm	No-load speed	10,000 /min
without battery pack, without charger, metaBOX 165 L			
18 Volt Cordless angle grinderWB 18 LTX BL 15-150 Quick			Order no. 602374840
Brushless cordless angle grinder of the new generation: the most powerful one in its class, as powerful as a 1500 Watt mains-powered tool			 BRUSHLESS
Grinding wheel Ø	150 mm	No-load speed	10,000 /min
without battery pack, without charger, metaBOX 165 L			
18 Volt Cordless angle grinder WB 18 LTX BL 15-180 Quick			Order no. 601735840
Brushless cordless angle grinder of the new generation: the most powerful one in its class, as powerful as a 1500 Watt mains-powered tool			 BRUSHLESS
Grinding wheel Ø	180 mm	No-load speed	7,500 /min
without battery pack, without charger, metaBOX 165 L			
18 Volt cordless angle grinderWVB 18 LT BL 15-125 Quick			Order no. 601731840
Brushless cordless angle grinder of the new generation: the most powerful one in its class, as powerful as a 1500 Watt mains-powered tool; variable speed setting with setting wheel			 BRUSHLESS
Grinding wheel Ø	125 mm	No-load speed	2,500 - 10,000 /min
without battery pack, without charger, metaBOX 165 L			

18 Volt Cordless angle grinderWVB 18 LTX BL 15-150 Quick			Order no. 601747840
Brushless cordless angle grinder of the new generation: the most powerful one in its class, as powerful as a 1500 Watt mains-powered tool; variable speed setting with setting wheel			
Grinding wheel Ø	150 mm	No-load speed	2,500- 10,000 /min
without battery pack, without charger, metaBOX 165 L			
18 Volt cordless angle grinder WPBA 18 LTX BL 15-125 Quick DS			Order no. 601734840
Brushless cordless angle grinder of the new generation: the most powerful one in its class, as powerful as a 1500 Watt mains-powered tool, with deadman switch and DS securing bracket to mount a tool safety belt			
Grinding wheel Ø	125 mm	No-load speed	10,000 /min
without battery pack, without charger, metaBOX 165 L			
18 Volt Cordless angle grinder WPBA 18 LTX BL 15-150 Quick DS			Order no. 601745840
Brushless cordless angle grinder of the new generation: the most powerful one in its class, as powerful as a 1500 Watt mains-powered tool, with deadman switch and DS securing bracket to mount a tool safety belt			
Grinding wheel Ø	150 mm	No-load speed	10,000 /min
without battery pack, without charger, metaBOX 165 L			
18 Volt Cordless angle grinder WPBA 18 LTX BL 15-180 Quick DS			Order no. 601746840
Brushless cordless angle grinder of the new generation: the most powerful one in its class, as powerful as a 1500 Watt mains-powered tool, with deadman switch and DS securing bracket to mount a tool safety belt			
Grinding wheel Ø	180 mm	No-load speed	7,500 /min
without battery pack, without charger, metaBOX 165 L			
2x18 Volt cordless angle grinder WPB 36-18 LTX BL 24-230 Quick			Order no. 613103840
Large, powerful cordless angle grinder (Ø 230 mm) for powerful cutting and roughing independent from the mains power			
Grinding wheel Ø	230 mm	No-load speed	6600 /min
without battery pack, without charger, in plastic carry case			
18 Volt Cordless angle grinder CC 18 LTX BL			Order no. 600349840
Very handy tool with maximum working comfort for many applications			
Grinding wheel Ø	76 mm	No-load speed	20,000 /min
Without battery pack, without charger, in metaBOX 165 L			
18 Volt Cordless band file BFVB 18 LTX BL 90			Order no. 601767840
Powerful, compact cordless band file with brushless motor for grinding, satin-finish and deburring of metal in difficult to reach places			
Grinding belt width	6- 19 mm		
without battery pack, without charger, in metaBOX 145 L			
18 Volt Cordless Fillet Weld Grinder KNSVB 18 LTX BL 150			Order no. 601765840
Very flat cordless fillet weld grinder with brushless motor for processing fillet welds in tight spaces			
No-load speed	1000- 3600 /min	Disc diameter	1000- 3600 /min
Spindle thread	M 14		
without battery pack, without charger, in metaBOX 185 XL			
18 Volt cordless burnishing machine SVB 18 LTX BL 200			Order no. 601766840
Compact cordless burnishing machine with brushless motor for grinding, satin-finishing, brushing and high-gloss polishing of metals			
No-load speed	600- 2500 /min	Spindle thread	M 14
Abrasive tool diameter	200 mm		
without battery pack, without charger, with metaBOX 340			

18 Volt cordless tube belt sander RBVB 18 LTX BL 180		Order no. 601768840
Easy to handle cordless tube belt sander with brushless motor for grinding and reworking of metal pipes		NEW BRUSHLESS 
Maximum pipe diameter	180 mm	
Wrap angle	270 °	
without battery pack, without charger, in metaBOX 185 XL		

18 Volt cordless die grinder GVB 18 LTX BL 11-28		Order no. 600826840
Slim cordless die grinder with long grinding spindle for deburring, milling, grinding and cutting, also in hard-to-reach places		BRUSHLESS 
No-load speed	8,000 - 28,000 /min	
Collet chuck bore	6 mm	
without battery pack, without charger, metaBOX 145 L		

18 Volt cordless die grinder GVPB 18 LTX BL 11-28		Order no. 600827850
Slim cordless die grinder with dead man function and long grinding spindle for particularly safe working, also in hard-to-reach places		BRUSHLESS 
No-load speed	8,000 - 28,000 /min	
Collet chuck bore	6 mm	
without battery pack, without charger		

18 Volt cordless die grinder GVB 18 LTX BL 11-28 Compact		Order no. 600828850
Compact, light cordless die grinder in short design for deburring, milling, grinding and cutting		BRUSHLESS 
No-load speed	8,000 - 28,000 /min	
Collet chuck bore	6 mm	
without battery pack, without charger		

18 Volt cordless die grinder GVB 18 LTX BL 11-7 HT		Order no. 600829850
Powerful cordless die grinder with long grinding spindle also for demanding grinding applications, also in hard-to-reach places		BRUSHLESS 
No-load speed	1,500 - 7,000 /min	
Collet chuck bore	6 mm	
without battery pack, without charger		

18 Volt cordless metal cutting circular saw MKS 18 LTX BL 58				Order no. 600773840
Powerful cordless metal cutting circular saw with chip collection box for cold sawing of metals. Compatible with guide rails.				BRUSHLESS NEW 
Maximum cutting depth at 90°	58 mm	Saw blade Ø x bore	165 x 20 mm	
Max. cutting speed	31 m/s			
without battery pack, without charger, in metaBOX 340				

18 Volt Cordless circular saw KS 18 LTX 57 BL				Order no. 611857840
Powerful, light, cordless circular saw for universal use on construction sites				BRUSHLESS 
Maximum cutting depth at 90°	57 mm	Saw blade Ø x bore	165 x 20 mm	
Max. cutting speed	43 m/s			
without battery pack, without charger, metaBOX 340				

18 Volt Cordless circular saw KS 18 LTX 57				Order no. 601857840
Powerful, light, cordless circular saw for universal use on construction sites				
Maximum cutting depth at 90°	57 mm	Saw blade Ø x bore	165 x 20 mm	
No-load speed	4600 /min			
without battery pack, without charger, in metaBOX 340				

18 Volt Cordless circular saw KS 18 LTX 66 BL				Order no. 611866840
Powerful, light, cordless circular saw for universal use on construction sites				BRUSHLESS 
Maximum cutting depth at 90°	66 mm	Saw blade Ø x bore	165 x 20 mm	
Max. cutting speed	43 m/s			
without battery pack, without charger, in metaBOX 340				

18 Volt cordless plunge cut circular saw KT 18 LTX 66 BL				Order no. 601866840
Cordless plunge cut circular saw with brushless motor for powerful plunge cuts and precise cuts up to a depth of 66 mm (!)				BRUSHLESS 
Saw blade diameter	165 mm	Max. cutting depth at 45 / 90 degrees	43/66 mm	
No-load speeds	2,250-5000 /min	Weight (without battery pack)	4.3 kg	
without battery pack, without charger, in metaBOX 340				

18 Volt Cordless sabre saw SSE 18 LTX Compact		Order no. 602266840
Light, extremely handy saw for one or two handed operation		
Strokes in idle	0- 3100 /min	
Saw blade stroke	13 mm	
without battery pack, without charger, in metaBOX 145		

18 Volt Cordless sabre saw SSE 18 LTX BL Compact		Order no. 602366840
Light, extremely handy saw with Brushless motor for one or two handed operation		BRUSHLESS 
Strokes in idle	0- 3100 /min	
Saw blade stroke	16 mm	
without battery pack, without charger, in metaBOX 145		

18 Volt Cordless sabre saw SSEP 18 LT		Order no. 601616840
Universal sabre saw with angled soft grip handle for high working comfort		
Strokes in idle	0 - 3,000 /min	
Saw blade stroke	32 mm	
without battery pack, without charger, metaBOX 165 L		

18 Volt Cordless sabre saw SSEP 18 LT BL		Order no. 601617840
Powerful sabre saw with angled soft grip handle for high working comfort		BRUSHLESS 
Strokes in idle	0- 3,000 /min	
Saw blade stroke	32 mm	
without battery pack, without charger, metaBOX 165 L		

18 Volt cordless sabre saw SSEP 18 LTX BL MVT		Order no. 602258840
Extremely powerful cordless sabre saw for demanding applications		BRUSHLESS 
Strokes in idle	0 - 3,000 /min	
Saw blade stroke	32 mm	
without battery pack, without charger, in metaBOX 165 L		

18 Volt cordless jigsaw STA 18 LTX 150 BL		Order no. 601502840
The power pack for demanding applications: Cordless jigsaw with maximum cutting output thanks to powerful Brushless motor and constant strokes under load		BRUSHLESS 
Cutting depth wood	150 mm	
Strokes in idle	1,000 - 3,500 /min	
without battery pack, without charger		

18 Volt cordless jigsaw STAB 18 LTX 150 BL		Order no. 601503840
The powerful choice for demanding applications: Cordless jigsaw with maximum cutting output thanks to powerful brushless motor and constant strokes under load		BRUSHLESS 
Cutting depth wood	150 mm	
Strokes in idle	1,000 - 3,500 /min	
without battery pack, without charger		

18 Volt Cordless mitre saw KGS 18 LTX BL 216		Order no. 614216850
Compact cordless crosscut and mitre saw of the mobile M-class- light, precise, user-friendly		BRUSHLESS 
Saw blade	216 x 30 mm	
No-load speed	5,000 /min	
without battery pack, without charger		

18 Volt cordless hot glue gun HK 18 LTX 20				Order no. 600797840	
Versatile cordless glue gun for repairing and fixing at any location. Ready for operation in only 1 minute					
Warm up time		1 min	Glue stick Ø		11 mm
without battery pack, without charger, metaBOX 145					
18 V Cordless grease gun FP 18 LTX				Order no. 600789850	
Compact cordless grease gun with 2 settings and high discharge pressure (max. 690 bar) for mobile maintenance of machines and systems					
Discharge pressure		690 / 413 bar	Discharge speed		100 / 290 g/min
Hose length		1,200 Nm			
without battery pack, without charger					
Cordless worksite radio R 12-18 BT				Order no. 600777850	
Robust and compact AM/FM worksite radio with Bluetooth for wireless music enjoyment from your smart phone or tablet					
without battery pack, without charger, in carton box					
Cordless worksite radio R 12-18 DAB+ BT				Order no. 600778850	
Robust worksite radio with digital DAB+ reception, top sound quality and many additional functions					
without battery pack, without charger, in carton box					
Cordless worksite radio RC 12-18 32W BT DAB+				Order no. 600779850	
Powerful DAB+ site radio with rich sound and integrated charging function for battery packs and smart phones					
Radio frequency DAB+		174- 240 MHz			
Radio frequency FM		87.5- 108 MHz			
without battery pack, without charger					
18 Volt Cordless hedge trimmer HS 18 LTX 45				Order no. 601717850	
Extremely light and quiet cordless hedge trimmer with blade length of 45 cm for effortless trimming of hedges and shrubs					
Cutting length		43 cm	No of strokes (no load)		2,600 /min
without battery pack, without charger					
18 Volt Cordless hedge trimmer HS 18 LTX 55				Order no. 601718850	
Extremely light and quiet cordless hedge trimmer with blade length of 55 cm for effortless trimming of hedges and shrubs					
Cutting length		53 cm	No of strokes (no load)		2,600 /min
without battery pack, without charger					
18 Volt Cordless hedge trimmer HS 18 LTX 65				Order no. 601719850	
Extremely light and quiet cordless hedge trimmer with blade length of 65 cm for effortless trimming of hedges and shrubs					
Cutting length		63 cm	No of strokes (no load)		2,600 /min
without battery pack, without charger					
18 Volt Cordless hedge trimmer HS 18 LTX BL 55				Order no. 601722850	
Powerful, Brushless cordless hedge trimmer with rotating handle for comfortable trimming and pruning applications					
Cutting length		50 cm	No of strokes (no load)		3,400 /min
without battery pack, without charger					

18 Volt Cordless hedge trimmer HS 18 LTX BL 65				Order no. 601723850	
Powerful, Brushless cordless hedge trimmer with rotating handle for comfortable trimming and pruning applications					
Cutting length		60 cm	No of strokes (no load)		3,400 /min
without battery pack, without charger					
18 Volt Cordless hedge trimmer HS 18 LTX BL 75				Order no. 601724850	
Powerful, Brushless cordless hedge trimmer with rotating handle for comfortable trimming and pruning applications					
Cutting length		70 cm	No of strokes (no load)		3,400 /min
without battery pack, without charger					
18 Volt Cordless shrub and grass shears SGS 18 LTX Q				Order no. 601609840	
2 in 1: Shrub shears for precise form cuts on shrubs and grass shears for clean laws edges					
Number of cuts		2,300 /min	Cutting length (shrub blade)		20 cm
Cutting thickness (shrub blade)		8 mm	Cutting width (grass blade)		11.5 cm
without battery pack, without charger, in metaBOX 145 L					
18 Volt Cordless leaf blower LB 18 LTX BL				Order no. 601607850	
Powerful, quiet cordless blower for fast removal of leaves and dirt from squares and paths					
Air volume up to		650 m³/h	Air velocity up to		150 km/h
Sound power level		89 dB	Weight (without battery pack)		2.1 kg
without battery pack, without charger, in carton box					
2x18 Volt Cordless Lawn Mower RM 36-18 LTX BL 36				Order no. 601716850	
Compact, mobile cordless lawn mower for mowing and mulching near edges of plots up to 350 m²					
Cutting width		36 cm	Cutting height		20 - 70 mm
Collection bag volume		45 l			
without battery pack, without charger					
18 Volt Cordless lawn mower RM 36-18 LTX BL 46				Order no. 601606850	
Quiet cordless lawn mower for efficient mowing, collecting and mulch of plots of land up to 800 m²					
Cutting width		46 cm	Cutting height from-to		25-80 mm
Collection bag volume		55 l			
without battery pack, without charger, in carton box					
2x18 Volt cordless chain saw MS 36-18 LTX BL 40				Order no. 601613850	
Powerful cordless motor saw for fast, uniform cuts when felling, delimbing trees, cutting and building with wood					
Track length		40 cm	Cutting length		36 cm
Max chain speed		22 m/s	Saw chain tooth shape		Semi-chisel / low profile
without battery pack, without charger					
18 Volt cordless pruning saw MS 18 LTX 15				Order no. 600856840	
Handy and safe cordless pruning saw, ideal for cutting back trees and shrubs as well as for cuttings					
Track length		15 cm	Max chain speed		5 m/s
without battery pack, without charger, metaBOX 145 L					
18 Volt Cordless Lawn Trimmer RTD 18 LTX BL 30				Order no. 601720850	
Light and compact cordless lawn trimmer for mowing, trimming and cultivation work					
Handle		Loop handle	Cutting diameter		30 cm
Thread diameter		2 mm	No-load speed		0 - 6,500 /min
without battery pack, without charger					

18 Volt Cordless brush cutter FSD 36-18 LTX BL 40				Order no. 601610850
Quiet cordless brush cutter with compact loop handle for effective working also in tight space conditions				BRUSHLESS 
Handle type	Loop handle	Cutting diameter	40 cm	
Thread diameter	2 mm	No-load speed	0-6000 /min	
without battery pack, without charger, in carton box				
18 Volt cordless brush cutter FSB 36-18 LTX BL 40				Order no. 601611850
Quiet cordless brush cutter with adjustable bike handle for comfortable working on larger areas				BRUSHLESS 
Handle type	Bike handle	Cutting diameter	40 cm	
Thread diameter	2 mm	No-load speed	0-6000 /min	
without battery pack, without charger, in carton box				
18 Volt Cordless backpack sprayer RSG 18 LTX 15				Order no. 602038850
Battery-powered backpack sprayer for uniform spraying of plants without manual pumping				
Max. fill volume	15	Operating pressure	1-3 bar	
Spray volume (at 1.5 bar/2.0 Ah)	90l			
without battery pack, without charger, in carton box				
2x18 Volt cordless multifunction drive MA 36-18 LTX BL Q				Order no. 601725850
Powerful 2x18 Volt cordless drive for the attachments of the Metabo multifunction system, the all-in-one solution for many garden applications				 BRUSHLESS
No-load speeds	0-7,000 / 0-8,200 /min	Length	1052 mm	
without battery pack, without charger				
Pole pruner attachment MA-MS 25				Order no. 601727850
Safe tree maintenance with the pole pruner attachment of the Metabo multifunction system, the all-in-one solution for many garden applications				
Track length	25 cm	Max chain speed	18 m/s	
Hedge trimmer attachment MA-HS 50				Order no. 601726850
Cutting of high hedges and shrubs with the hedge trimmer attachment of the Metabo multifunction system, the all-in-one solution for many garden applications				
Cutting length	48 cm	No of strokes (no load)	0-2,600 / 0-3,100 /min	
Brush cutter attachment MA-FS 40				Order no. 601728850
Mowing, trimming and clearing out with the brush cutter attachment of the Metabo multifunction system, the all-in-one solution for many garden applications				
Cutting diameter	40 cm	No-load speed	0-5,300 / 0-6,000 /min	
18 Volt Cordless submersible and rain barrel pump TPF 18 LTX 2200				Order no. 601729850
Flexible cordless pump with 2 functions: can be used always and everywhere as immersion pump or rain barrel pump				
Maximum delivery rate	2200 l/h	Maximum delivery height	22 Nm	
Maximum immersion depth	2 Nm			
without battery pack, without charger				
18 Volt Cordless blower AG 18				Order no. 602242850
Lightweight cordless blower e.g. for blowing off chips from workpieces, workplace, transporter etc.				
Air volume	1 / 1.55 / 2.6 m³/min	Max. air velocity	74 m/s	
Weight (including battery pack)	1.87 kg			
without battery pack, without charger, in carton box				

18 Volt Cordless fan AV 18				Order no. 606176850
High-quality cordless fan for flexible use, independent from mains power				
Air velocity	1.8 / 2.8 / 3.8 m/s	Maximum speed	1300 /min	
Rotor diameter	355 mm	Weight (including battery pack)	4.55 kg	
without battery pack, without charger, in carton box				
18 Volt cordless blower gun BP 18 LTX BL				Order no. 600798850
Powerful and versatile cordless blower gun with powerful air stream for cleaning, blowing, pumping and venting				NEW  BRUSHLESS
Air volume	0.7 m³/min	Max. air velocity	122 m/s	
without battery pack, without charger				
18 Volt Cordless caulking gun KPA 18 LTX 400				Order no. 601206850
Powerful cartridge gun with 400 ml pipe, also for processing particularly viscous materials				
Holder size	400 ml			
without battery pack, without charger, in carton box				
18 Volt Cordless caulking gun KPA 18 LTX 600				Order no. 601207850
Powerful cartridge gun with 600 ml pipe, also for processing particularly viscous materials				
Holder size	600 ml			
without battery pack, without charger, in carton box				
18 Volt Cordless compressor AK 18 Multi				Order no. 600794850
Multifunctional cordless compressor, versatile use for inflating tyres, balls, air mattresses and more				
Filling capacity	16 l/min	Maximum pressure	11 bar	
without battery pack, without charger				
18 Volt Cordless compressor power 160-5 18 LTX BL OF				Order no. 601521850
Light and powerful cordless compressor with brushless motor for use in interior development and on construction sites				
Filling capacity	70 l/min	Effective delivery volume (at 80% maximum pressure)	60 l/min	
Maximum pressure	8 bar	Tank capacity	5 l	
without battery pack, without charger, in carton box				
18 Volt cordless vacuum cleaner AS 18 L PC Compact				Order no. 602028850
Portable, compact cordless vacuum cleaner for wet and dry vacuum cleaning (IPX4), ideal for smaller cleaning and extraction jobs				
Air output max.	2,100 l/min	Vacuum	120 hPa (mbar)	
Container volume	6 l			
without battery pack, without charger				
18 Volt cordless vacuum cleaner AS 18 HEPA PC Compact				Order no. 602029850
Portable, compact cordless vacuum cleaner for wet and dry vacuum cleaning (IPX4), equipped with HEPA filter: keeps back 99.95% of fine dust.				HEPA HEPA filter inside 
Air output max.	2,100 l/min	Vacuum	120 hPa (mbar)	
Container volume	6 l			
without battery pack, without charger				

18 Volt Cordless vacuum cleaner AS 18 L PC				Order no. 602021850
Light, compact cordless vacuum cleaner for mobile use for extraction and vacuuming of dust and chips				
Air output max.	2100 l/min	Vacuum	120 hPa (mbar)	
Container volume	7.5 l			
without battery pack, without charger, in carton box				
2x18 Volt Cordless vacuum cleaner AS 36-18 L 20 PC				Order no. 602071850
Compact cordless vacuum cleaner of dust class L with integrated filter cleaning for versatile application				
Air output max.	3,300 l/min	Vacuum	140 hPa (mbar)	
Container volume	20 l			
without battery pack, without charger				
2x18 Volt Cordless vacuum cleaner AS 36-18 L 20 PC-CC				Order no. 602072850
Compact cordless vacuum cleaner of dust class L with integrated filter cleaning and CordlessControl for versatile application				
Air output max.	3,300 l/min	Vacuum	140 hPa (mbar)	
Container volume	20 l			
without battery pack, without charger				
2x18 Volt Cordless vacuum cleaner AS 36-18 L 30 PC-CC				Order no. 602073850
Compact cordless vacuum cleaner of dust class L with integrated filter cleaning and CordlessControl for versatile application				
Air output max.	3,300 l/min	Vacuum	140 hPa (mbar)	
Container volume	30 l			
without battery pack, without charger				
2x18 Volt Cordless vacuum cleaner AS 36-18 M 30 PC-CC				Order no. 602074850
Compact cordless vacuum cleaner of dust class M with integrated filter cleaning and CordlessControl for versatile application				
Air output max.	3,300 l/min	Vacuum	140 hPa (mbar)	
Container volume	30 l			
without battery pack, without charger				
2x18 Volt Cordless vacuum cleaner AS 36-18 H 30 PC-CC				Order no. 602075850
Compact cordless vacuum cleaner of dust class M with integrated filter cleaning and CordlessControl for versatile application				
Air output max.	3,300 l/min	Vacuum	140 hPa (mbar)	
Container volume	30 l			
without battery pack, without charger				
18 Volt cordless vacuum cleaner ASR 36-18 BL 25 M SC				Order no. 602046850
Powerful cordless wet/dry vacuum cleaner with CordlessControl function for intelligent extraction without cable connection				
Air output max.	4,000 l/min	Vacuum	240 hPa (mbar)	
Container volume	20 l			
without battery pack, without charger, in carton box				
18 Volt cordless site light BSA 18- 1000				Order no. 601508850
Small cordless site light with 1000 lumens for a range of applications				
Max. luminous flux	1000 lm	Max. duration of illumination per battery pack charge (18V/10.0 Ah LiHD)	9.6 h	
		(18V/5.5 Ah LiHD)		
without battery pack, without charger				
Cordless site light BSA 12-18 LED 2000				Order no. 601504850
Compact cordless site light with COB-LED for a targeted, true colour illumination, ideal in tight spaces				
Max. luminous flux	2000 lm	Max. duration of illumination per battery pack charge (18V/4.0 Ah LiHD)	5 h	
without battery pack, without charger				

18 Volt cordless site light BSA 18 LED 4000			Order no. 601505850
Compact cordless site light with 4000 lumens for extensive and even working light with reduced shadowing			
Max. luminous flux	4000 lm	Max. duration of illumination per battery pack charge (18V/10.0 Ah LiHD)	6.5 h
without battery pack, without charger			
			
18 Volt cordless site light BSA 18 LED 10000			Order no. 601506850
Compact cordless site light with 10,000 lumens for extensive and even working light with reduced shadowing			
Max. luminous flux	10000 lm	Max. duration of illumination per battery pack charge (18V/10.0 Ah LiHD)	2.5 h
without battery pack, without charger			
			
18 Volt cordless site light BSA 18 LED 5000 DUO-S			Order no. 601507850
Tripod light with two individually adjustable site spotlights with 5000 lumens for flexible, bright light in the entire working area			
Max. luminous flux	5000 lm	Max. duration of illumination per battery pack charge (18V/10.0 Ah LiHD)	4.2 h
without battery pack, without charger			
			
Cordless lamp ULA 14.4-18 LED			Order no. 600368000
Powerful LED portable lamp for uniform, bright illumination of the working area			
without battery pack, without charger, in carton box			
			
Cordless lamp SLA 14.4-18 LED			Order no. 600370000
Powerful LED inspection lamp for uniform, bright illumination of the working area			
without battery pack, without charger, in carton box			
			
Cordless power adapter PA 14.4-18 LED-USB			Order no. 600288000
Compact, multi-function adapter, can be used as desktop charger, energy source and lamp			
without battery pack, without charger, in carton box			
			
18 Volt Cordless cooling box KB 18 BL			Order no. 600791850
Genial cordless cooling box for active cooling or keeping warming independent from the mains- always and everywhere			
Max. cooling output in ambient temperature	17 °C	Max. temperature for keeping warm	60 °C
Volume	24 l		
without battery pack, without charger			
			
BRUSHLESS			
			
Bristle Blaster® Ultimate Cordless			Order no. SB-601-BMC
Innovative, portable surface preparation device, removes rust, cinder, old coating, creates surface profile similar to blasting.			
Surface profile on steel	55 – 95 µm Rz		
Surface purity comparable to ISO8501-1	Sa 2½- Sa 3		
Scope of delivery: 5 Bristle Blaster® straps, without battery pack, without charger, in PE tool case			
			

MBX® Vinyl Zapper® Ultimate		Order no. SB-201		
Removes stickers, reflective and non-reflective films as well as adhesive residue of coated and uncoated surfaces.				
Reduces the speed for safe working	1,350 /min			
Scope of delivery: incl Vinyl Zapper® Ultimate 30 mm wide, without battery pack, without charger, in cardboard box				
MBX® Cordless		Order no. SB-344		
Effortlessly removes rust, paint, underbody protection and vehicle sealants.				
Drive unit, incl. deadman switch, protective cover, vibration-dampening handle, Adaptor System 23mm, MBX® belts stainless steel, fine, 23mm, without battery pack, without charger				
Decapower® 2000		Order no. 91160		
Cordless drill, 18 V, cordless operation				
Weight	1.5 kg		Chuck capacity	1.5-13 mm
Gears	2-speed - Rotational speed 0-550 / 0-2000 rpm			
Scope of delivery: machine only, without battery pack or charger				
Decapower® 2000 Bristle Head		Order no. ZU-103		
The Decapower® Bristle Head is the ideal solution for efficient and thorough surface preparation. It can be connected effortlessly with almost any chuck with a quick-clamping mechanism or an impact driver with a 1/4" quick mount. For optimal results, ensure that the Bristle Head is firmly connected and running evenly.				
Weight	0,560 kg		Recommended operating speed	2500-3500 rpm
Scope of delivery: The Decapower® Bristle Head-Set contains: • Decapower® Bristle Head • Decapower® Adaptor System • Decapower® belt, steel, fine, 23 mm (BU-040) • Decapower® belt, steel, coarse, 23 mm (BU-040-MK) • Hexagonal wrench				

novus®

Cordless tacker J-550 single		Order no. 031-0363
Powerful, professional cordless tacker to perfectly fastening many different materials, weaves, and decorative strips on the construction site and in workshops		
Rapid fire functionality allows especially fast working at three shots per second	Depth setting: distance setting up to 2 mm with knurled screw to space between the back of the staple and workpiece. No matter how hard or soft the surface is, the staple is always optimally inserted	
Ergonomic design for comfortable work with an ideal centre of gravity, even when working over head	A row of staples can be stapled parallel at one height using the distance holder	
Content: delivered in box, no battery or charger included		

Cordless tacker J-551 single		Order no. 031-0365
Powerful, professional cordless tacker to perfectly fastening many different materials and decorative strips on the construction site and in workshops		
Rapid fire functionality allows especially fast working at three shots per second	Depth setting: distance setting up to 2 mm with knurled screw to space between the back of the staple and workpiece. No matter how hard or soft the surface is, the staple is always optimally inserted	
Ergonomic design for comfortable work with an ideal centre of gravity, even when working over head	A row of staples can be stapled parallel at one height using the distance holder	
Content: delivered in box, no battery or charger included		

PREBENA

Cordless nailer PKT-8-RKP100				Order no. PKT-8-RKP100
for paper collated round head strip nails type RKP from 65- 100 mm				
Weight:	5.0 kg	Shot sequence	1.5 shots/second	
Overall height	39 cm	Magazine capacity	30 nails	
PKT-8-RKP100, compressed air cartridge KT-1000, in plastic transport case				
Cordless nailer PKT-8-RKP100-LM				Order no. PKT-8-RKP100-LM
for paper collated round head strip nails type RKP from 65- 100 mm				
Weight:	5.3 kg	Shot sequence	1.5 shots/second	
Overall height	39 cm	Magazine capacity	60 nails	
PKT-8-RKP100-LM, compressed air cartridge KT-1000, in plastic transport case				
Cordless Nailer PKT-8-RHC40				Order no. PKT-8-RHC40
for steel-/concrete nails type RHC, 15-40 mm				
Weight	5.5 kg	Magazine capacity	40 nails	
Overall height	39 cm	Application	Steel and concrete	
PKT-8-RHC40, compressed air cartridge KT-1000, in plastic transport case				
Cordless nailer PKT-8-RHC65				Order no. PKT-8-RHC65
for steel-/concrete nails type RHC, 15-40 mm				
Weight:	5.5 kg	Magazine capacity	40 nails	
Overall height	39 cm	Application	Steel and concrete	
PKT-8-RHC5, compressed air cartridge KT-1000, in plastic transport case				
Cordless nailer PKT-8-PR100				Order no. PKT-8-PR100
for paper collated D-Head strip nails type PR from 65- 100 mm				
Weight:	5.0 kg	Shot sequence	1.5 shots/second	
Overall height	39 cm	Magazine capacity	40 nails	
PKT-8-PR100, compressed air cartridge KT-1000, in plastic transport case				
Cordless nailer PKT-8-PR100-LM				Order no. PKT-8-PR100-LM
for paper collated D-Head strip nails type PR from 65- 100 mm				
Weight:	5.3 kg	Shot sequence	1.5 shots/second	
Overall height	39 cm	Magazine capacity	80 nails	
PKT-8-PR100-LM, compressed air cartridge KT-1000, in plastic transport case				
Cordless compressor VITAS 100-AKKU				Order no. VITAS 100-AKKU
Compact cordless compressor for mobile use				
Suction rate	100 l/min.	Maximum pressure	8 bar	
Effective delivery volume	72 l/min.	Tank	5 litres	
Cordless compressor in box				
Cordless magazine belt screwdriver 6A-MGS55				Order no. 6A-MGS55
for screw magazines type MGS, 25-55 mm				
Weight	2.5 kg	Maximum torque, soft	6 Nm	
Bit retainer	Hexagon recess 1/4" (6.35 mm)	No-load speed	0-5,000 / min	
6A-MGS55, Bit PH2, Bit PZ2 in the metaBOX				

Cordless nailer PKT-3-J55		Order no. PKT-3-J55
Cordless nailer for brad nails type J from 16- 55 mm		NEW 
Lightweight and easy to handle at 2.3 kg	Single and contact release	
High shot capacity with one battery pack	Empty shot protection	
Scope of delivery: cordless nailer in metaBOX		

Cordless nailer PKT-3-ES40		Order no. PKT-3-ES40
Cordless nailer for staples type ES from 15 - 40 mm		NEW 
Lightweight and easy to handle at 2.3 kg	Single and contact release	
High shot capacity with one battery pack	Empty shot protection	
Scope of delivery: cordless nailer in metaBOX		

Pressfit®

18 Volt Hydraulic crimping tool LYNX				Order no. 5000012
For performing crimped connections on standard pressure pipelines for water, gas, vapour, waste and HVAC Portable hand-held tool, "pistol" design, LED lighting				
Crimping power	22 kN	Weight (with battery pack)	2.6 kg	
Jaws (mini series)	Ø 10- 40 mm	supplied battery pack	18 V - 2.0 Ah	
Scope of delivery: battery pack, charger, carry strap, stable plastic carry case.				

18 Volt Cordless hydraulic crimping tool LYNX-RR				Order no. 5000010
For performing crimped connections on standard pressure pipelines for water, gas, vapour, waste and HVAC Portable hand-held tool, "pistol" design, OLED display, LED lighting				
Crimping power	22 kN	Weight (with battery pack)	2.7 kg	
Jaws (mini series)	Ø 10- 40 mm	supplied battery pack	18 V - 2.0 Ah	
Scope of delivery: battery pack, charger, carry strap, USB cable, stable plastic carry case.				

18 Volt Cordless hydraulic crimping tool PUMA				Order no. 5000022
For performing crimped connections on standard pressure pipelines for water, gas, vapour, waste and HVAC Portable hand-held tool, "pistol" design, LED lighting				
Crimping power	32 kN	Weight (with battery pack)	2.9 kg	
Jaws (see standard)	Ø 10- 75 mm	supplied battery pack	18 V - 2.0 Ah	
Scope of delivery: battery pack, charger, carry strap, stable plastic carry case.				

18 Volt Cordless hydraulic crimping tool PUMA-RR				Order no. 5000020
For performing crimped connections on standard pressure pipelines for water, gas, vapour, waste and HVAC Portable hand-held tool, "pistol" design, OLED display, LED lighting				
Crimping power	32 kN	Weight (with battery pack)	3 kg	
Jaws (see standard)	Ø 10- 75 mm	supplied battery pack	18 V- 2.0 Ah	
Scope of delivery: battery pack, charger, carry strap, USB cable, stable plastic carry case.				

PROMOTECH®

Mini SPIDER Battery				Order no. WOZ-0759-10-00-00-0
The most compact welding tractor available from PROMOTECH for producing continuous fillet welds with MIG/MAG torches				
Horizontal speed		0–110 cm/min	Horizontal pulling force	
Torch diameter		16–22 mm	Weight	
			150 N	
			6.6 kg	
Cardboard box incl. tractor, 18 V DC battery 4.0 Ah (2 pieces), hexagonal wrench 3 mm, hexagonal wrench 4 mm, operator's manual				



GECKO Battery				Order no. WOZ-0776-10-00-01-0
18Volt cordless welding tractor designed to produce continuous butt and fillet welds using MIG/MAG torches				
Horizontal speed		0–110 cm/min	Min. convex track radius	600 mm
Min. concave track radius		800 mm	Weight	8 kg
Plastic box with tractor, 18 V DC battery 4.0 Ah (2 pieces), standard guide arms, torch holder with long rod and clamp, arc ignition cable 6.5 m, hexagonal wrench 4 mm, operator's manual				



SCORPIO Battery

Order no. WOZ-0757-10-00-00-0

The SCORPIO battery is a battery-operated, programmable welding tractor that was developed for fillet, butt and step welds, as well as for continuous welding.

Horizontal speed

5–130 cm/min

Min. convex track radius

1000 mm

Min. concave track radius

1250 mm

Weight

7 kg

Plastic box incl. tractor, 18 V DC battery 4.0 Ah (2 pieces), torch holder, electric arc ignition cable 6.5 mm, hexagonal wrench 3 mm and 4 mm, operator's manual

NEW



DRAGON Battery

Order no. WOZ-0788-10-00-00-0

The DRAGON battery is a battery-operated cutting tractor for thermal cutting with a precise, stable travel speed that facilitates precise cuts and chamfers.

Horizontal speed	0–150 cm/min	Torch diameter	28–35 mm
Ground clearance	8 mm	Weight	15.2 kg

Plastic box incl. tractor, 18 V DC battery 4.0 Ah (2 pieces), rack, torch holder, hexagonal wrench 2.5 mm, 3 mm, 4 mm, 5 mm, operator's manual

NEW

PRO-36 Battery		Order no. WRT-0688-10-00-00-0	
The cordless PRO-36 battery cordless drill permits a cutting capacity of up to 36 mm and is equipped with an innovative LED monitoring system that shows the current condition of the drill and provides additional safety information.			
Motor Speeds (under load)	260 U/min	Max cutting depth	50 mm
Max milling capacity	36 mm	Weight	11.5 kg
Plastic box incl. drill, 18 V DC battery 4.0 Ah, safety strap, cooling system, 4 mm hexagonal wrench, operating manual			



PRO-36PM Battery				Order no. WRT-0765-10-00-00-0
This specialised battery-operated drill with a permanent magnetic foot is designed for use in remote areas where no power supply is available				NEW 
Motor Speeds (under load)	260 U/min	Max cutting depth	50 mm	
Max milling capacity	36 mm	Weight	14.5 kg	
Plastic box incl. drill, 18 V DC battery 4.0 Ah, safety strap, cooling system, 4 mm hexagonal wrench, operating manual				

PRO-36R Battery

Order no. WRT-0766-10-00-00-0

A very powerful, compact and lightweight device for drilling in rails is designed for use in remote areas where no power supply is available

Motor Speeds (under load)	350 rpm	Max cutting depth	30 mm
Max milling capacity	36 mm	Weight	14.5 kg

Plastic case with rail core drilling machine, 18 V DC battery 4.0 Ah, compressed coolant bottle unit, 4 mm, 5 mm hexagonal wrench, operating manual

NEW



BM-6 Battery (COMING SOON)

Order no. UKS-0763-10-00-01-0

Small and lightweight chamfering machine for milling metal sheets, pipes and contour profiles

Chamfer width	up to 6 mm	Chamfer radius	R2, R3, R4 or R5
Chamfer angle	45°, 30° (option)	Countersink	Min. ID 40 mm

Plastic case incl. chamfering machine, 18 V DC two batteries 5.5 Ah, operating manual

NEW





Turbo-MAX-CPT 36V

Order no. K00043.00

Battery-operated, portable cold fogger for room treatments with liquid substances

Fog liquid tank	5 litres	Maximum spray distance	20 Nm
Maximum flow rate	500 ml/min	Runtime per battery pack charge	30 min

Scope of delivery: complete device with replacement parts bag, filling funnel, ear protection, with 2 CAS Li-Power 5.2 Ah batteries, without charger.



Turbo-MAX-STD 36V

Order no. K00044.00

Battery-operated, portable cold fogger for room and surface treatment with liquid substances

Fog liquid tank	5 litres	Maximum spray distance	20 Nm
Maximum flow rate	500 ml/min	Runtime per battery pack charge	30 min

Scope of delivery: complete device with replacement parts bag, filling funnel, ear protection, with 2 CAS Li-Power 5.2 Ah batteries, without charger.





Cordless sliding system TINY|PC.3

Order no. 9520.021784

The TINY|PC.3 is lightweight, compact, and at the same time highly robust, with a high-quality design to optimally handle any task in and around buildings optimally. With a low overall weight and telescopic sliding handle, the TINY|PC.3 can be transported effortlessly to any job. Thanks to the folding, removable monitor unit, the system can also be stored in a space-saving manner. It is compatible with all common RICO cameras, meaning the TINY|PC.3 is perfect for inspecting ducts from Ø 30mm to Ø300mm.

Display	super-bright (1000cd/m²) large touch display (12.1)	Runtime	Battery operation (optional CAS battery packs), with up to 16 hours runtime
System	One-click change basket system	PC	integrated Windows PC

Scope of delivery: TINY|PC.3 sliding system, (without sliding cable and basket)





HG 90 A - case set

Order no. 338160

The HG 90 A from RIEXINGER is a battery-operated heating element handheld welding device with a round design developed for efficient butt welding of plastic pipes and moulded pieces.

Materials	PB, PE, PP, PVDF	Temperature adjustment range (°C)	100 – 300
Heating mirror Ø (mm)	90	Temperature setting and monitoring according to DVS 2208-1 (09/2019)	YES

1x handheld device, 1x table frame, 1x transport case (metaBOX 185 XL), without battery, without quick charger | Other versions available.

NEW



HGV 100 A - case set

Order no. 338163

The HGV 100 A from RIEXINGER is a battery-operated heating element handheld welding device with a rectangular design developed for efficient butt welding of plastic pipes and moulded pieces. The 55° blade on the heating element also facilitates hot bending of plastic plates.

Materials	PB, PE, PP, PVDF	Temperature adjustment range (°C)	100 – 300
Heating mirror (L x W in mm)	150 x 100	Temperature setting and monitoring according to DVS 2208-1 (09/2019)	YES

1x handheld device, 1x table frame, 1x transport case (metaBOX 185 XL), without battery, without quick charger | Other versions available.

NEW





Cordless backpack vacuum cleaner (EIFS and ETICS) RVC-L C

Order no. 12000-b

Dust class L backpack vacuum cleaner for mobile use, for suctioning EIFS and ETICS particles. Ideal for working on scaffolding.

Max. volume flow	31 l/s	Max. container volume	15 l
Max. vacuum	32 mbar	Weight	6.6 kg

Paper filter bag, fabric filter bag (can be emptied), without battery pack/charger, in carton box (other variants with regard to contents available).



Cordless universal grinder Chameleon CX

Order no. 26000-b

Universal grinder with two tool discs running in opposite directions for countless applications: grinding EIFS and ETICS plates, removing carpet / old plaster / paint / tile glue residue / plants, scraping sgraffito, smoothing concrete, cleaning, polishing and much more. Brushless cordless motor with speed control.

Speed (RPM)	120-400 min ⁻¹	Weight (handheld part)	2.4 kg
Tool disc	2x Ø200 mm		

Backing pad, emery grit 16 (4 pc.), strap, without battery pack/charger, in transport case (other variants with regard to contents available).

NEW

BRUSHLESS



Cordless plaster finishing machine PFM CX

Order no. 36000-b

The ultimate plaster finishing machine for processing plaster, lime-cement and finish plaster (façades), smoothing filler, smoothing concrete elements, removing plaster texture, troweling all kinds of wall plaster and much more. Brushless cordless motor with speed control.

Speed (RPM)	65-250 min ⁻¹	Weight	2.7 kg
Tool disc	Ø350 mm		

Base plate, coarse sponge disk, without battery pack/charger, in transport case (other variants with regard to contents available).

NEW

BRUSHLESS



Cordless insulation cutter Tigris 850 CX

Order no. 53000-b

Versatile, powerful and patented cutting device with rotating diamond cutting wire. Driven by a brushless cordless motor, cuts almost any insulation with a max. cutting length (plate width) of 850 mm. (Optional accessories available for wood fibre insulation boards.)

Max. cutting length (plate width)	850 mm	Max. material density	650 kg/m³
Max. cutting depth (plate thickness)	340 mm	Weight	25.0 kg

Cutting wire, without battery pack/charger, in carrying bag (stable wooden transport case available, other variants with regard to contents available).

NEW

BRUSHLESS



Cordless insulation cutter Tigris 1250 CX

Order no. 54000-b

Versatile, powerful and patented cutting device with rotating diamond cutting wire. Driven by a brushless cordless motor, cuts almost any insulation with a max. cutting length (plate width) of 1250 mm. (Optional accessories available for wood fibre insulation boards.)

Max. cutting length (plate width)	1250 mm	Max. material density	650 kg/m³
Max. cutting depth (plate thickness)	340 mm	Weight	31.0 kg

Cutting wire, without battery pack/charger, in wooden transport case (other variants with regard to contents available).

NEW

BRUSHLESS



Cordless concrete vibrator CV CX 43-130

Order no. 91400-b

For compacting fresh concrete and concrete joints.The length of the bendable shaft is 1300 mm. Now with new cordless motor: brushless, and even more powerful.

Length of bendable shaft	1300 mm	Weight	4.9 kg
--------------------------	---------	--------	--------

Vibration head (Ø x length) Ø43 x 310 mm

Strap, without battery pack/charger, in transport case (other variants with regard to contents available).

NEW

BRUSHLESS



Cordless concrete vibrator CV CX 43-200

Order no. 91500-b

For compacting fresh concrete and concrete joints.The length of the bendable shaft is 2000 mm. Now with new cordless motor: brushless, and even more powerful.

Length of bendable shaft	2000 mm	Weight	5.5 kg
--------------------------	---------	--------	--------

Vibration head (Ø x length) Ø43 x 310 mm

Strap, without battery pack/charger, in transport case (other variants with regard to contents available).

NEW

BRUSHLESS



Cordless concrete vibrator CV CX 43-300

Order no. 91600-b

For compacting fresh concrete and concrete joints.The length of the bendable shaft is 3000 mm. Now with new cordless motor: brushless, and even more powerful.

Length of bendable shaft	3000 mm	Weight	6.0 kg
--------------------------	---------	--------	--------

Vibration head (Ø x length) Ø43 x 310 mm

Strap, without battery pack/charger, in transport case (other variants with regard to contents available).

NEW

BRUSHLESS



Cordless concrete power trowel Skate CX

Order no. 93060-b

For smoothing fresh concrete, screed and concrete elements. Now with a new brushless cordless motor.

Speed (RPM)	75-250 min ⁻¹	Weight (handheld part)	2.9 kg
-------------	--------------------------	------------------------	--------

Tool disc Ø 350 mm

Base plate, perforated + smooth friction disc, handle extension, strap, without battery pack/charger, in transport case (other variants with regard to contents available).

NEW

BRUSHLESS





ROMAX 4000

Order no. 1000001840

Battery-operated pressing machine for system-dependent pressing of fittings of up to Ø 110 mm with 32-34 kN

Piston force / stroke	32–34 kN/40 mm	Rotating head	270° rotating
Nominal size	Ø 12–110 mm 1)	Operating temperature	-10 °C to 60 °C



ROMAX NANO Basic Set, 2 Ah

Order no. 1000005042

Unique hybrid press machine for NANO iJAW and standard press jaws up to 110 mm; smart press machine with variable pressing force

Piston force / stroke	hybrid / 40 mm	Rotating head	180°
Nominal size	12 - 110 mm, system-dependent	Operating temperature	-10 °C to 60 °C

Press machine ROMAX NANO, CAS battery 2.0 Ah, charger, ROCASE

NEW



ROMAX COMPACT III Basic Set 1

Order no. 1000004261

Smart battery-operated pressing machine for system-dependent pressing of fittings up to Ø 35 mm (metal) and Ø 40 mm (plastic systems)

Piston force / stroke	19 kN / 30 mm	Rotating head	270° rotating
Nominal size	Ø 12–40 mm plastic/multilayer Ø 12–35 mm metal	Operating temperature	-10 °C to 60 °C

Press machine ROMAX COMPACT III, CAS battery 2.0 Ah, charger, ROCASE



ROMAX Axial

Order no. 1000002137

Battery-operated pressing machine for system-dependent pressing of axial sliding sleeve systems of up to Ø 40 mm with 19-21 kN

Piston force / stroke	19–21 kN	Sliding axle	270° rotating
Nominal size	Ø 16–40 mm 1)	Operating temperature	-10 °C to 60 °C



ROSPIMATIC CL

Order no. 1000002298

Professional pipe and drain cleaning machine for up to Ø 50 mm

Application range	20–50 mm	Dimensions (without spiral)	42 x 20 x 20 cm
Spiral	Ø 8 mm x 7.5 m	Product weight	3.9 kg



ROCAM 4 Plus, 30 m

Order no. 1500002613

Battery-operated inspection camera for inspecting pipes of Ø 40–300 mm

Camera head	Ø 30 mm with 10 LED lights	Cable length	30 m
Working area	Ø 70–150 mm	Cable diameter	7 mm



ROCAM 4 Plus, 65 m

Order no. 1500002615

Battery-operated inspection camera for inspecting pipes of Ø 40–300 mm

Camera head	Ø 30 mm with 10 LED lights	Cable length	65 m
Working area	Ø 70–150 mm	Cable diameter	7 mm



ROCAM MINI HD - Module 25/22 HD - Set EU

Order no. 1000003922

Full HD pipe inspection camera with reel; 25 mm camera head and integrated location transmitter, with 22 mm cable length for pipes from Ø 50 - 110 mm

Ø Camera head	25 mm	Camera resolution	1920 x 1080
Reel cable length	22 Nm	Connectivity to the ROTHENBERGER App	Wi-Fi

ROCAM MINI HD camera module, reel 25/22, guide sphere, endoscope, 2 Ah battery, charger, ROCASE



ROCAM MINI HD - Module 20/16 HD - Set EU

Order no. 1000005076

Full HD pipe inspection camera with reel; 20 mm camera head and integrated location transmitter, with 16 mm cable length for pipes from Ø 40 - 90 mm

Ø Camera head	20 mm	Camera resolution	1920 x 1080
Reel cable length	16 Nm	Connectivity to the ROTHENBERGER App	Wi-Fi

ROCAM MINI HD camera module, reel 20/16, endoscope, 2 Ah battery, charger, ROCASE

NEW



ROCAM MINI HD - module ROLOC PLUS HD - Set EU

Order no. 1000003963

Detection module ROLOC PLUS HD with ROCAM MINI HD monitor for precise localisation of the camera head up to 1.8 m depth

Detection depth	up to 1.8 m	Detection frequency	512 Hz, 640 Hz, 50/60 Hz
Display size	7"		passive, 33 KHz active/passive

ROCAM MINI HD display, ROLOC PLUS HD detection device, endoscope, 2 Ah batteries, charger, ROCASE





NOVA 2 CONNECT - compact working light with up to 2000 lumen (18V/20V)			Order no. 03.6100C
Streamlined and extremely robust working light for professionals. For CAS 18V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 2000 lumen, 5 stages	IP30, IK07	720 g, 161 x 164 x 78 mm	
Operating time: 5.75-58 hours with 18V 5.2 Ah battery pack			
NOVA 4 CONNECT - high efficiency work light with up to 4000 lumen (18 V/20 V)			Order no. 03.6101C
Powerful working light with BLUETOOTH light control and power bank. For CAS 18V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 4000 lumen, 5 stages	IP65, IK07	2.36 kg, 263 x 230 x 119 mm	
Operating time: 3-31 hr. with 18V 5.2 Ah battery pack. Backup battery: 2.5 hours 400 lumen			
NOVA 10 CONNECT - high efficiency work light with up to 10000 lumen (18 V/20 V)			Order no. 03.6102C
Powerful working light with BLUETOOTH light control and power bank. For CAS 18V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 10000 lumen, 5 stages	IP65, IK07	3.72 kg, 304 x 292 x 131 mm	
Operating time: 1.25-12 hr. with 18V 5.2 Ah battery pack. Backup battery: 1 hour 1000 lumen			
AREA 10 CONNECT - 360° high efficiency work light with up to 10000 lumen (18 V/20 V)			Order no. 03.6103C
Floodlight with 360° + 180° illumination and BLUETOOTH light control. For CAS 18V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR. Direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 10000 lumen, 5 stages	IP65, IK07	3.7 kg, 395 x 200 x 212 mm	
Operating time: 1-22 hr. with 18V 5.2 Ah battery pack. Backup battery: 50 minutes 1000 lumen			
AREA 6 CONNECT - 360° high efficiency working light with up to 6000 lumen (18 V/20 V)			Order no. 03.6108C
Powerful 360° working light with a diffused and uniform light. For CAS 18V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 6000 lumen, 2 stages	IP54, IK07	2.22 kg, ø195 x 636 mm	
Operating time: 1.75-3.5 hours with 18V 5.2 Ah battery pack			
VEGA 2 CONNECT - compact floodlight providing up to 2000 lumen (18 V/20 V)			Order no. 03.6106C
Powerful working light with a diffused and non-blinding work light. For CAS 18V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 2000 lumen, 2 stages	IP54, IK06	850 g, 200 x 198 x 78 mm	
Operating time: 4.5-9 hours with 18V 5.2 Ah battery pack			
VEGA 4 CONNECT - high efficiency work light with up to 4000 lumen (18 /20 V)			Order no. 03.6104C
Powerful working light with diffuse and uniform light. Impact-resistant, with handle. For CAS 18V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 4000 lumen, 2 stages	IP54, IK07	2.02 kg, 280 x 289 x 103 mm	
Operating time: 2.25-4.5 hours with 18V 5.2 Ah battery pack			
BASIC CONNECT - 1000 lumen compact universal work light (18 V/20 V)			Order no. 03.6109C
Compact and lightweight, universal work light. For CAS 18V battery pack and all other 18/20 V battery packs with SCANGRIP CONNECTOR. Direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 1000 lumen, 2 stages	IP30, IK07	338 g, 158 x 79 x 62 mm	
Operating time: 9-18 hours with 18V 5.2 Ah battery pack			

DUO CONNECT - two floodlights with 2500 lumen (18 V/20 V)			Order no. 03.6111C
Multifunctional floodlight with two flexible light heads. For CAS 18 V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 2500 lumen, 2 stages	IP30, IK07	620 g, 224 x 78 x 91 mm	
Operating time: 4.5-9.5 hours with 18 V 5.2 Ah battery pack			
TOWER COMPACT CONNECT - work light with integrated stand and up to 2500 lumen (18 V/20 V)			Order no. 03.6110C
Compact and multifunctional floodlight with a lightweight tripod. For CAS 18 V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 2500 lumen, 2 stages	IP30, IK07	2.74 kg, 956 x 78 x 91 mm	
Operating time: 4.5-9.5 hours with 18 V 5.2 Ah battery pack			
TOWER 5 CONNECT - working light with integrated stand and up to 5000 lumen (18 V/20 V)			Order no. 03.6105C
Integrated and height-adjustable stand with two floodlights. For CAS 18 V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 2500 lumen, 2 stages	IP30, IK07	5.2 kg, 121 x 153 x 892 mm	
Operating time: 2-4.5 hours with 18 V 5.2 Ah battery pack			
MULTILIGHT FLEX CONNECT - Working light with 750 lumen inspection light head (18 V/20 V)			Order no. 03.5693C
Basic handle for a range of different working light heads. For CAS 18 V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 750 lumen, 2 stages	IP30, IK07	376 g, 168 x 90 x 203 mm	
Operating time: 12.5-26 hours with 18 V 5.2 Ah battery pack			
MULTILIGHT FLOOD CONNECT - Working light with 1500 lumen floodlight head (18 V/20 V)			Order no. 03.5694C
Basic handle for a range of different working light heads. For CAS 18 V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 1500 lumen, 2 stages	IP30, IK07	611 g, 145 x 115 x 215 mm	
Operating time: 6.5-13 hours with 18 V 5.2 Ah battery pack			
MULTILIGHT SEARCH CONNECT - Working light with 600 lumen searchlight head (18 V/20 V)			Order no. 03.5695C
Basic handle for a range of different working light heads. For CAS 18 V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 600 lumen, 2 stages	IP30, IK07	466 g, 180 x 90 x 204 mm	
Operating time: 12-24 hours with 18 V 5.2 Ah battery pack			
MULTILIGHT BODY CONNECT - Working light for exchangeable light heads (18 V/20 V)			Order no. 03.5696C
Basic handle for a range of different working light heads. For CAS 18 V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
	IP30 / IK07	338 g, 114 x 202 x 82 mm	
FLEX HEAD CONNECT - Slim inspection light head with up to 750 lumen (18 V/20 V)			Order no. 03.5697C
Powerful inspection light head for MULTILIGHT BODY CONNECT. For CAS 18 V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 750 lumen, 2 stages	IP30, IK07	99 g, 244 x 41 x 41 mm	
FLOOD HEAD CONNECT - robust flood light head with up to 1500 lumen (18 V/20 V)			Order no. 03.5698C
Powerful inspection light head for MULTILIGHT BODY CONNECT. For CAS 18 V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 1500 lumen, 2 stages	IP30, IK07	332 g, 54 x 116 x 106 mm	

SEARCH HEAD CONNECT - Compact and powerful searchlight head with up to 600 lumen (18 V/20 V)			Order no. 03.5699C
Powerful searchlight head for MULTILIGHT BODY CONNECT. For CAS 18 V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 600 lumen, 2 stages	IP30, IK07	195 g, 92 x 49 x 49 mm	

AREA HEAD CONNECT - Compact and powerful 360° light head - 2500 lumen (18 V/20 V)			Order no. 03.5701C
Powerful 360° light head for MULTILIGHT BODY CONNECT. For CAS 18 V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 2500 lumen, 2 stages	IP30, IK07	506 g, ø110 x 173 mm	

MULTILIGHT KIT - Exchangeable light heads and handle for versatile use (18 V/20 V)			Order no. 49.0518
Basic handle and four light heads in a robust case. For CAS 18 V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
The MULTILIGHT KIT contains:		3.5 kg, 500 x 420 x 160 mm	
03.5696C/5697C/5698C/5699C/5701C/49.0511			

MULTIMATCH 3 CONNECT - Working light with CCT SCAN and up to 3000 lumen (18 V/20 V)			Order no. 03.5675C
Powerful working light with CRI+ colour reproduction and CCT scan. For CAS 18 V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 3000 lumen, 5 stages	IP65, IK07	2.94 kg, 263 x 230 x 119 mm	
Operating time: 3-30 hr. with 18 V 5.2 Ah battery pack. Backup battery: 2 hours 300 lumen			

MULTIMATCH 8 CONNECT - working light with CCT SCAN and up to 8000 lumen (18 V/20 V)			Order no. 03.5676C
Powerful working light with CRI+ colour reproduction and CCT scan. For CAS 18 V battery pack and all other 18/20 V battery packs by using the SCANGRIP CONNECTOR, or direct connection to the SCANGRIP-power supply (accessory)			
Luminous flux: 8000 lumen, 5 stages	IP65, IK07	3.52 kg, 305 x 292 x 125 mm	
Operating time: 1.25-12 hr. with 18 V 5.2 Ah battery pack. Backup battery: 1 hour 800 lumen			

POWER SUPPLY CONNECT - convert the CONNECT working light into a plug-in model			Order no. 03.6123C
Unrestricted availability of light with the power supply for CONNECT working lights.			
Input: 100-240 V AC 50/60 Hz, Output: 18 V DC 5 A	IP65, IK07	1.1 kg, 122 x 82 x 73 mm	
The following country-specific versions are available: AU, CH, JPN, UK, US			



Hot wire cutting tool Spewe 5305SL-30A				Order no. 1000329
Cordless hot wire cutting for rigid foam				
Cutting length	1280 mm	Weight	18 kg	
Board thickness	300 mm	Output	18 V, 5.5 Ah	
Scope of delivery: folding base, free-standing support, railing fixture, stable aluminium case with castors, without battery pack, without charger				

Hot wire cutting tool Spewe 5305SL-43A				Order no. 1000366
Cordless hot wire cutting for rigid foam				
Cutting length	1280 mm	Weight	18.5 kg	
Board thickness	420 mm	Output	18 V, 5.5 Ah	
Scope of delivery: folding base, free-standing support, railing fixture, in carton box, without battery pack, without charger				

Hot wire cutting tool Spewe 5305SK-30A			Order no. 1000354	
Cordless hot wire cutting for rigid foam				
Cutting length	1040 mm	Weight		17.5 kg
Board thickness	300 mm	Output		18 V, 5.5 Ah
Scope of delivery: folding base, free-standing support, railing fixture, stable aluminium case with castors, without battery pack, without charger				

Hot wire cutting tool Spewe 5305SK-43A				Order no. 1000365
Cordless hot wire cutting for rigid foam				
Cutting length	1040 mm	Weight	18 kg	
Board thickness	420 mm	Output	18 V, 5.5 Ah	
Scope of delivery: folding base, free-standing support, railing fixture, in carton box, without battery pack, without charger				

Hot wire cutting tool Spewe GT127-34A				Order no. 1000362
Cordless hot wire cutting for rigid foam				
Cutting length	1280 mm	Weight	16 kg	
Board thickness	340 mm	Output	18 V, 5.5 Ah	
Scope of delivery: height-adjustable base, stable aluminium case with castors, without battery pack, without charger				

Hot wire cutting tool Spewe 212SL-30A				Order no. 1000357
Cordless hot wire cutting for rigid foam				
Cutting length	1280 mm	Weight	14.8 kg	
Board thickness	300 mm	Output	18 V, 5.5 Ah	
Scope of delivery: swivel stands, free-standing support, railing fixture, stable aluminium case with castors, without battery pack, without charger				

Hot wire cutting tool Spewe 212SL-30A				Order no. 1000358
Cordless hot wire cutting for rigid foam				
Cutting length	1280 mm	Weight	14.8 kg	
Board thickness	300 mm	Output	18 V, 5.5 Ah	
Scope of delivery: swivel bases, free-standing support, railing fixture, in carton box, without battery pack, without charger				

Hot wire cutting tool Spewe 112SL-28A				Order no. 1000364
Cordless hot wire cutting for rigid foam				
Cutting length	1280 mm	Weight	11.3 kg	
Board thickness	280 mm	Output	18 V, 5.5 Ah	
Scope of delivery: swivel bases, railing fixture, in carton box, without battery pack, without charger				

All-purpose cutting tool 1900ML-30			Order no. 1000353	
Universal cutting frame for holding the Metabo sabre saw SSE 18 LTX BL Compact for cutting of mineral fibre, glass wool boards, PIR, PUR, eco-insulation materials,				
Cutting length	1270 mm	Weight		24 kg
Board thickness	300 mm			
Scope of delivery: Cutting frame with guide for sabre saw, free-standing support, in carton, without saw, without battery pack, without charger				

All-purpose cutting tool 1900MK-30			Order no. 1000351
Universal cutting frame for holding the Metabo sabre saw SSE 18 LTX BL Compact for cutting of mineral fibre, glass wool boards, PIR, PUR, eco-insulation materials,			
Cutting length	1100 mm	Weight	19.8 kg
Board thickness	300 mm		
Scope of delivery: Cutting frame with guide for sabre saw, in carton, without saw, without battery pack, without charger			



Hot wire cutting tool Spewe 590GH-28A				Order no. 1000396
Cordless hot wire cutting for rigid foam				NEW 
Cutting length	1030 mm	Weight	7.15 kg	
Board thickness	280 mm	Output	1x18V or 2x 18V	
Scope of delivery: parapet bracket, wall bracket, in box, without battery pack, without charger				



Batrix L 36-18V				Order no. 100999
Wet-dry cordless vacuum cleaner with the performance of a mains-powered vacuum cleaner. Mobile use on construction sites and in workshops. With Cordless Control, automatic ON/OFF control of the vacuum cleaner via cordless power tools. Automatic filter cleaning in breaks. Dust class L certified. Runtime up to 100 min. with a 10Ah battery pack.				
Voltage	2x 18V / 1x 36V	Max. vacuum	240 mbar	
Max. volume flow	67 l/s	Container volume max. (gross/dust/ water)	25/20/15 l	
Scope of delivery: Hose EL 35-400 (conducts electricity), rotating coupling bush, 1 x handle ES, 2 x suction tube ED, 1 x floor nozzle 30, 1 x Cordless Control (CoCo)				

Batrix M 36-18V		Order no. 100777	
Wet-dry cordless vacuum cleaner with the performance of a mains-powered vacuum cleaner. Mobile use on construction sites and in workshops. With Cordless Control, automatic ON/OFF control of the vacuum cleaner via cordless power tools. Automatic filter cleaning in breaks. Pre-selection switch volume flow, visual/acoustic warning function. Dust class M certified. Runtime up to 100 min. with a 10Ah battery pack.			
Voltage	2x 18V / 1x 36V	Max. vacuum	240 mbar
Max. volume flow	67 l/s	Container volume max. (gross/dust/ water)	25/20/15 l
Scope of delivery: Hose EL 35-400 (conducts electricity), rotating coupling bush, 1 x handle ES, 2 x suction tube ED, 1 x floor nozzle 30, 1 x Cordless Control (CoCo)			



Smart L 18V cordless vacuum				Order no. 123455
The portable cordless wet-dry vacuum offers maximum mobility for vacuuming at home or on the job site				
Volume flow	37 l/s	Weight	4.2 kg	
Dimensions	21.2 x 28.8 x 39.3 cm(L x W x H)	Runtime	with 1x 18V 10.0 Ah (approx.): Boost 28 min / eco 49 min; with 1 x 18V 5.2 Ah (approx.): Boost 14 min / eco 25 min	
Scope of delivery: 1 fleece filter bag FBV 6; 1x hose AS 32-280, Quix ø 32 mm x 0.5-2.8 m; 3x suction tube 32-35 (each 32 cm), ø 35 mm; 1x tool sleeve AS 28/35, Quix (anti static); 1x grip tube basic, Qui; 1x upholstery nozzle; 1x crevice nozzle; 1x carrying strap				



Ash vacuum AV P-15 18V				Order no. 110011
Ash vacuum for cordless vacuuming of ashes. With filter dedusting.				
Power consumption (max.)	350 Watt	Volume flow	max. 20 l/s	
Dimensions	31.2 x 35 x 38.5 cm (L x W x H)	Weight	2.8 kg	
Scope of delivery: 1 piece FBPP 15, PP disposal bags; 1 x aluminium reinforced suction hose 1.3 m; 1 x aluminium scratch nozzle; 1 x pre-filter FSP 630, WS				



Manual sweeper DuroSweep 77 Pro 18V				Order no. 103105
Battery operated manual sweeper for regular professional use, and suited for very large areas of up to 3,600 m²				
Working principle	Turbo sweeping system	Container volume	40 litres	
Sweeping width	77 cm	Weight (without battery pack)	16 kg	
Scope of delivery: without battery pack or charger				




CORDLESS HOT AIR GUN MOBILE HEAT 3 KF mobile heat MH3				Order no. 063986
Compact cordless hot air gun				
Temperature levels	300°C or 500°C	Weight (without battery pack)	685 g	
max. air volume	200 l/min	Weight (with battery pack)	1660 g	
without battery pack, without charger				

CORDLESS HOT AIR GUN MOBILE HEAT 5 KF mobile heat MH5				Order no. 063993
Compact cordless hot air gun				
Temperature levels	50°C to 500°C	Weight (without battery pack)	685 g	
max. air volume	300 l/min	Weight (with battery pack)	1660 g	
without battery pack, without charger				

CORDLESS HOT AIR GUN MH3 KF SC 8AH mobile heat MH3 Set				Order no. 066604
Compact cordless hot air gun				
Temperature levels	300°C or 500°C	Weight (without battery pack)	685 g	
max. air volume	200 l/min	Weight (with battery pack)	1660 g	
18V 8Ah battery pack + charger				

CORDLESS HOT AIR GUN MH5 KF SC 8 AH mobile heat MH5 Set				Order no. 066611
Compact cordless hot air gun				
Temperature levels	50°C to 500°C	Weight (without battery pack)	685 g	
max. air volume	300 l/min	Weight (with battery pack)	1660 g	
18V 8Ah battery pack + charger				

MobileGlue 5011 CAS				Order no. 084684
Battery-operated hot glue gun with 2 temperature levels				NEW 
Ø glue sticks	11 mm	Temperature levels	130 °C / 200°C	
Warm up time	2 min.	Delivery rate	20 gr/min	
Folding box (without battery pack and charger), incl. 3 glue sticks				



Tube Belt Sander ATG 9-R				Order no. 101001311
The ATG 9-R CordlessTube Belt Sander is an excellent choice for achieving high surface quality when grinding and polishing stainless steel tubes up to a 45 mm diameter.				
Belt speed continuously adjustable	4.6 to 12.5 m/s	Belt dimensions:	30 x 533 mm	
Wrap angles up to 180°		Weight:	4,080 Kg. incl. 5.5 Ah LIHD battery	
Scope of delivery: tool without battery pack, without charger, in box				



ABG 9-R Belt sander				Order no. 101002540
The ABG 9-R cordless belt sander is excellent for processing difficult to reach mitres and fillet welds.				
Belt speed continuously adjustable	4.8 to 13.2 m/s	Belt dimensions:	3 / 6 / 12 x 520 mm	
Extremely quick belt change		Weight:	2,880 Kg. incl. 5.5 Ah LIHD battery	
Scope of delivery: tool without battery pack, without charger, in box				



Straight grinder ASG 25-R

Order no. 101002542

The ASG 25-R cordless straight grinder is suitable for a range of grinding processes, as well as deburring, routing and plaster work.

Infinitely adjustable speed	11 000- 25 000 min ⁻¹	Weight:	2,290 Kg. incl. 5.5 Ah LIHD battery
Collet	6 mm		

Scope of delivery: tool without battery pack, without charger, in box



Straight grinder ASG 9-R

Order no. 101002541

The ASG 9-R cordless straight grinder is suitable for a range of grinding processes and demanding polishing tasks. Especially well-suited for working with fibre fleece discs, flap wheels and pneumatic sanding drums.

Infinitely adjustable speed	4 000- 9 000 min ⁻¹	Weight:	2,390 Kg. incl. 5.5 Ah LIHD battery
Collet	6 mm		

Scope of delivery: tool without battery pack, without charger, in box



Fillet weld grinder AKG 3-R

Order no. 101002543

The AKG 3-R Cordless FilletWeld Grinder creates professional fillet welds in metalworking and in the pharmaceutical and food industry.

Infinitely adjustable speed	1 400- 3 200 min ⁻¹	Weight:	2,680 Kg. incl. 5.5 Ah LIHD battery
Spindle	M 14		

Scope of delivery: tool without battery pack, without charger, in box



AMG 6-RL Linear Stroke File

Order no. 101002544

The AMG 6-RL linear stroke file is suitable for calendering work on round and square pipes and processing welded seams.

Continuously adjustable stroke frequency	2 500 – 5 250 min ⁻¹	Dimensions of Sanding Sheets	39 x 60 mm
Depth of feed	8 mm	Weight:	2,980 Kg. incl. 5.5 Ah LIHD battery

Scope of delivery: tool without battery pack, without charger, in box



Angle grinder AWG 10-R

Order no. 101002738

The AWG 10-R angle grinder offers a high level of flexibility for all cutting and grinding tasks.

Infinitely adjustable speed	2 800- 10 000 min ⁻¹	Disc change is simple and requires no tools	
Grinding wheel diameter	125 mm	Weight:	2,840 Kg. incl. 5.5 Ah LIHD battery

Scope of delivery: tool without battery pack, without charger, in box



Cordless burnishing machine APG 5-R

Order no. 101004841

The APG 5-R burnishing machine is highly suitable for removing scratches and corrosion and for deburring and descaling, for burnishing and precision grinding, in particular of stainless steel, as well as of steel, aluminium, and copper.

Exchangeable working spindle for effortless conversion from 19 x 100 mm to M 14 mount	Max. tool diameter	125 mm	
Infinitely adjustable speed	1800- 4000 min ⁻¹	Weight:	3,380 Kg. incl. 5.5 Ah LIHD battery

Scope of delivery: tool without battery pack, without charger, in box

NEW





Slitting shear TruTool C 200 LiHD-battery pack 18 V

Order no. 2534390

Powerful slitting shear with open and robust steel cutter. Thanks to large stroke opening of the blade, extremely good for cutting spiral tubes.

Steel 400 N/mm ²	2 mm	Smallest radius	L40 / R50 mm
Spiral duct 400 N/mm ²	4 x 0.9/6x0.6 mm	Weight (without battery pack)	1.8 kg

without battery pack, without charger, in TRUMPF Box S2 (other variants with regard to contents available)



Slitting shear TruTool C 250 with chip clipper LiHD battery pack 18V

Order no. 2534387

Most powerful slitting shear up to 2.5 mm sheet thickness. The chip can be removed with one hand at the touch of a button. Ideal for notches and interior cut-outs.

Steel 400 N/mm ²	2.5 mm	Smallest radius	L45 / R80 mm
Smallest starting hole diameter	15 mm	Weight (without battery pack)	1.9 kg

without battery pack, without charger, in TRUMPF Box S2 (other variants with regard to contents available)



Shear TruTool S 250 LiHD battery pack 18V

Order no. 2750440

Robust tool, excellent for working on tools. Unlimited view of the cutting line. Ideal for processing of flat sheet metal, wire mesh and coil.

Steel 400 N/mm2	2.5 mm	Starting hole diameter	28 mm
Smallest radius	20 mm	Weight (without battery pack)	1.9 kg

Scope of delivery without battery pack, without charger, in cardboard box (other variants with regard to contents available)



Nibbler TruTool N 200 LiHD battery pack 18V

Order no. 2534381

The nibbler with outstanding performance on curves can be turned on the spot. Ideal for interior cut-outs and notches in flat sheet metal and corrugated sheet metal. Machine compatible with tools PN 200 and PN 201.

Steel 400 N/mm ²	2 mm	Starting hole diameter	17 mm
Smallest radius	4 mm	Weight (without battery pack)	1.6 kg

without battery pack, without charger, in TRUMPF Box S2 (other variants with regard to contents available)



Profile nibbler TruTool PN 200 LiHD battery pack 18V

Order no. 2534350

Profile nibbler with short tool for trapezoidal sheet metal with medium profile depths and for C-L-U profiles. The working direction can be set in 8 cutting directions. Machine compatible with the tools PN 201 and N 200.

Steel 400 N/mm ²	2 mm	Starting hole diameter	24 mm
Smallest radius	50 mm	Weight (without battery pack)	1.6 kg

without battery pack, without charger, in TRUMPF Box S2 (other variants with regard to contents available)



Profile nibbler TruTool PN 201 LiHD battery pack 18V

Order no. 2534374

Profile nibbler with long tool for deep trapezoidal sheet metal and profiles. The working direction can be set in 8 cutting directions. Machine compatible with tools PN 200 and N 200.

Steel 400 N/mm ²	2 mm	Starting hole diameter	24 mm
Smallest radius	50 mm	Weight (without battery pack)	1.8 kg

without battery pack, without charger, in TRUMPF Box M2 (other variants with regard to contents available)



Power fastener TruTool TF 350 LiHD battery pack 18V

Order no. 2534925

To connect of two or several metal parts without connecting elements such as rivets or screws. For durable and corrosion-proof joints in one working step.

Steel 400 N/mm ²	3.5 mm	Maximum locking power	25 kn
Max. stroke sequence	2 (1/s)	Weight (without battery pack)	7.4 kg

without battery pack, without charger, in plastic carry case (other variants with regard to contents available)





20kN CRIMPING MACHINE M2X - 2 BATTERIES 18V-2,0Ah WITHOUT MOTHER JAW FOR INSERTS

Order no. 253550

Compact crimping machine for pressing up to 40 mm. Nut pliers + inserts or compact crimping jaw

Piston force / stroke	20kN	Rotating head	360°
Nominal size	Ø12-40mm PER/PEX-multilayer material	Weight with battery	2.240kg
	Ø12- 28 mm Copper-Stainless Steel		

Crimping is monitored by microprocessor. At the end of the cycle, the LED ring flashes in green to confirm good crimping.



20kN CRIMPING MACHINE M2X - 2 BATTERIES 18V-2,0Ah WITH MOTHER JAW FOR INSERTS			Order no. 253551
Compact crimping machine for pressing up to 40 mm. Nut pliers + inserts or compact crimping jaw			
Piston force / stroke	20kN	Rotating head	360°
Nominal size	Ø12-40mm PER/PEX-multilayer material	Weight with battery	3.440kg
	Ø12- 28 mm Copper-Stainless Steel		
Crimping is monitored by microprocessor. At the end of the cycle, the LED ring flashes in green to confirm good crimping.			
20kN CRIMPING MACHINE L2X - 2 BATTERIES 18V-2,0Ah WITHOUT MOTHER JAW FOR INSERTS			Order no.253570
Compact crimping machine for pressing up to 40 mm. Nut pliers + inserts or compact crimping jaw			
Piston force / stroke	20kN	Rotating head	360°
Nominal size	Ø12-40mm PER/PEX-multilayer material	Weight with battery	2.140kg
	Ø12- 28 mm Copper-Stainless Steel		
Crimping is monitored by microprocessor. At the end of the cycle, the LED ring flashes in green to confirm good crimping.			
20kN CRIMPING MACHINE L2X - 2 BATTERIES 18V-2,0Ah WITH MOTHER JAW FOR INSERTS			Order no. 253571
Compact crimping machine for pressing up to 40 mm. Nut pliers + inserts or compact crimping jaw			
Piston force / stroke	20kN	Rotating head	360°
Nominal size	Ø12-40mm PER/PEX-multilayer material	Weight with battery	3.340kg
	Ø12- 28 mm Copper-Stainless Steel		
Crimping is monitored by microprocessor. At the end of the cycle, the LED ring flashes in green to confirm good crimping.			
ELECTRIC BENDER 18 V EUROSTEM III - 2 BATTERIES 18V-2.0Ah WITH 5 MOULDS			Order no. 251874
Cordless bender for bending Copper, Stainless Steel, Steel and Multi-Layer pipes up to 180°			
Copper	10- 35 mm	Steel	3/8" - 3/4"
Stainless steel	10- 28 mm	Multilayer material	14- 40mm
Weight with battery	10.440kg		
Scope of delivery: EUROSTEM III, CAS 2.0 AH battery pack (x2), charger, bending forms 14-16-18-22-28 mm			
ELECTRIC BENDER 18V MINISTEM - x1 18V-2.0Ah BATTERIES WITH 4 MOULDS			Order no.: 251774
Ultra-compact, cordless bender for bending copper, stainless steel, and multi-layer pipes up to 180°			NEW 
Copper	10- 22 mm; 3/8- 7/8"	Multilayer material	14- 26 mm
Stainless steel	10- 18 mm	Weight with battery	5.9kg
Scope of delivery: MINISTEM, CAS 2.0 Ah battery (x1), charger, bending segments 14-16-18-22 mm			
ELECTRIC DIES 18V PHENIX IV - 2 18V-8.0Ah BATTERIES WITH 6 HEADS BSPT RIGHT			Order no.: 137580
For effortless production of straight BSPT or NPT threads on steel pipes of 1/4" to 2"			NEW 
Copper	10- 22 mm; 3/8- 7/8"	Weight with battery	7.6kg
Stainless steel	10- 18 mm		
Scope of delivery: PHENIX IV, CAS 8.0 Ah battery (x2), charger, 6 heads BSPT right			

Experience the entire CAS world. Discover now online!

On our website, you'll find the latest developments in the field of CAS battery pack technology and partner brands. Discover exciting videos and news, and stay up-to-date with the latest additions to our ever-expanding list of CAS-compatible machines.

